

TBR TIRE LINEUP

TIRE LINE FEATURES/BENEFITS SIZE LINEUP

LINE HAUL STEER **S605 EFT**

- . Decoupling groove helps to minimize irregular wear.
- · S-sipes improve traction in wet conditions and dissipate heat for prolonged tread life.
- . Unique tread wall biting edges reduce irregular wear and improve traction.
- · Stone ejectors protect against stone retention and drilling.
- · SmartWay Verified for lower rolling resistance and excellent fuel efficiency on highways.



11R22.5 TL 146/143M 11R24.5 TL 149/146M 295/75R22.5 TL 146/143M 285/75R24.5 TL 147/144M

S768 EFT

· Wide footprint and square shoulder design for improved stability and mileage.

- · Extra-deep tread pattern with special compound for extended tread life.
- Multi-sipes improve traction in wet conditions and dissipate heat for prolonged tread life.
- · Stone ejectors protect against stone retention and drilling.
- · SmartWay Verified for lower rolling resistance and excellent fuel efficiency on highways.



11R22.5 TL 146/143M 11R24.5 TL 149/146M 295/75R22.5 TL 144/141L 285/75R24.5 TL 144/141L



· Light weight to improve fuel economy.

- . Long wearing for low cost per mile.
- · Alternative low cost option for trade trucks.
- · Smartway Verified.



445/50R22.5 TL 161M



· Wide footprint and deep tread for extended mileage.

- · "Slim bead" for reduced rolling resistance.
- Advanced Compound Technology for maximum mileage, wet traction and rolling resistance.



11R22.5 146/143 M 11R24.5 149/146 M 295/75R22.5 146/143 M 285/75R24.5 144/141 L



· Decoupling grooves help minimize irregular wear.

- V-sipes improve traction in wet conditions and dissipate heat for prolonged tread life.
- Main groove stone ejectors protect tire against stone drilling.
- . 5 full-depth grooves for excellent traction in wet and dry conditions.

255/70R22.5 TL 140/137L*



· Decoupling grooves help minimize irregular wear.

- . Micro-sipes improve traction in wet conditions and dissipate heat for prolonged tread life.
- Advanced Compound Technology for maximum mileage, wet traction and rolling resistance.
- · Smartway Verified.



11R22.5 144/142 M 11R24.5 146/143 M 295/75R22.5 144/141 M 285/75R24.5 144/141 M




· 5-rib tread pattern promotes stable on-road performance and even tread wear.

- · Cut and chip resistant rubber compound.
- · Solid shoulder design promotes lateral stability for all positions.
- · Wide tread footprint maximizes tread life

11R22.5 TL 146/143M 11R24.5 TL 149/146M 255/70R22.5 TL 140/137L 295/75R22.5 TL 144/141M





- · Alternative low cost option for trade trailers.
- · Smartway Verified.




445/50R22.5 TL 161M

REGIONAL STEER/ALL-POSITION

IRAILER

LINE HAUL DRIVE

S606 EFT



- . Unique tread wall grooves help reduce irregular wear and improve traction.
- · Stone ejectors protect tire from stone drilling.
- · SmartWay Verified for lower rolling resistance and excellent fuel efficiency on highways.



11R22.5 TL 146/143M 12R22.5 TL 152/148M² 11R24.5 TL 149/146M 295/75R22.5 TL 144/141L 295/80R22.5 TL 152/148M* 315/80R22.5 TL 156/150L* 285/75R24.5 TL 144/141L



· Micro-sipes within groove walls for enhanced traction in all weather conditions.

- · Variable tread angles for self-cleaning and stone ejection.
- · Reinforced sidewall for increased tread life.
- · SmartWay Verified for lower rolling resistance and excellent fuel efficiency on highways.



11R22.5 TL 146/143M 11R24.5 TL 149/146M 295/75R22.5 TL 144/141M 285/75R24.5 TL 144/141M




- . Multi-sipes improve traction in wet conditions and dissipate heat for prolonged tread life.
- Tread pattern designed to reduced rolling resistance for improved fuel economy.
- · Unique tread wall grooves help reduce irregular wear and improve traction.

235/75R17.5** 143/141 L 245/70R17.5** 143/141 K 265/70R19.5 140/138 M 10R22.5 141/139 M 255/70R22.5 140/137 M 275/70R22.5 148/145 M

- Multi-sipes improve traction in wet conditions and dissipate heat for prolonged tread life.
- Shallow tread designed to reduce rolling resistance for improved fuel economy.
- · Unique tread wall grooves help reduce irregular wear and improve traction.
- · Sidewall protector ribs offer curb abrasion resistance.

215/75R17.5 128/126 L* 215/75R17.5 135/133 L** 225/70R19.5 128/126 L 245/70R19.5 136/134 M

S753 EFT



- · Extra-strong casing design for enhanced durability.
- · Integrated central lugs for improved stability.
- · SmartWay Verified for lower rolling resistance and excellent fuel efficiency on highways.



10R22.5 TL 141/139M* 11R22.5 TL 146/143M 11R24.5 TL 149/146M 255/70R22.5 TL 140/137L* 295/75R22.5 TL 144/141L 285/75R24.5 TL 144/141L





- · Integrated tie bars reduce irregular wear and promote increased stability.
- · Angled lug and siping design improves overall traction and wet grip.
- · 3-Peak Mountain Snowflake (3PMSF) certification denotes a true winter tire.
- · Sidewall protector ribs offer curb abrasion resistance.



215/75R17.5 TL 135/133L 225/70R19.5 TL 128/126L 245/70R19.5 TL 136/134M

S759



- . Shoulder block sipes for enhanced ice and snow traction.
- · Aggressive tread blocks for outstanding snow and mud handling.
- Open tread pattern cleans out well in snow and mud conditions.
- 3-Peak Mountain Snowflake (3PMSF) denotes a true winter tire.



225/70R19.5 128/126 M 245/70R19.5 135/133 M

SW01



· 3-Peak Mountain Snowflake (3PMSF) certification for severe winter service.

- · Extensive sipes in tread pattern for exceptional mud, snow and ice traction.
- · Aggressive tread blocks for outstanding snow and mud handling.
- · Tread pattern promotes self-cleaning and resists stone drilling.



11R22.5 TL 146/143L 11R24.5 TL 149/146L



• Extensive sipes in tread pattern for exceptional ice and snow traction.

- · Aggressive tread blocks for outstanding snow and mud handling.
- Open tread pattern cleans out well in snow and mud conditions.
- 3-Peak Mountain Snowflake (3PMSF) certification denotes a true winter tire.



225/70R19.5 TL 128/126L 245/70R19.5 TL 135/133L



· Extra-wide footprint promotes stability, improved handling, even treadwear and long tread life.

- Extensive sines improve traction in wet conditions and dissipate heat for prolonged tread life.
- Tie-bars on external lugs add rigidity to lugs to prevent irregular wear and improve stability.



11R22.5 TL 146/143L 11R24.5 TL 149/146L

S815



• Large deep shoulder grooves for improved traction and heat dissipation.

- · Interlocking ribs promote improved stability and smoother wear.
- · Wide footprint and unique shoulder design for improved stability.
- · Specially formulated compound and deep tread depth for improved tread life.
- · Stone ejectors protect tire from stone drilling.

12R22.5 TL 152/149G

S817



· Solid shoulder for scrub resistance.


- . Interlocking ribs promote smooth wear and extend mileage.
- · Wide footprint and unique shoulder design for improved stability.
- · Optimized tread void angle to reduce stone retention.
- · Specially formulated compound for cut/chip resistance.

11R22.5 146/143 L 11R24.5 149/146 L 255/70R22.5 140/137 L 275/70R22.5 148/145 K 315/80R22.5 161/157 G

S826

MIXED SERVICE WIDE BASE

JN/0FF-ROAD TRACTION



· Interlocking lugs promote improved stability and smoother wear.

- · Stone ejectors protect tire against stone drilling
- · Wide footprint and unique shoulder design for improved stability.
- · Specially formulated compound for improved tread life.

385/65R22.5 TL 158K 425/65R22.5 TL 165 K

S758




. Open grooves to maximize self-cleaning.

- · Stone ejectors protect tire against stone drilling.
- Extra-deep tread depth (31/32").
- . M&S lug pattern designed specifically for on and off-road applications.

11R22.5 TL 146/143K 11R24.5 TL 149/146K

S917



- · Aggressive multi-lug design.
- · Deep tread depth for excellent tread life.
- . Open shoulder design for excellent traction.



- · Designed for highway and mixed road surfaces.
- · Stabilized tread design to minimize scrub wear.
- Open shoulder for traction in all conditions.
- · Stone protectors for extended casing life and retreadability.

11R22.5 TL 148/145G 11R24.5 TL 149/146G 12.00R24 (SET) TT/T/F 160/157F 12R22.5 TL 152/149G

11R22.5 TL 148/145G 11R24.5 TL 149/146G 12.00R24 (SET) TT/T/F 160/157F 12R22.5 TL 152/149G