

ABOUT US

Sailun offers a complete lineup of business solutions with unsurpassed product and unmatched customer experience in the value tire segment. We are the undisputed leader in the value tier. Our products are available in over 135 countries globally and we are ranked the twelfth largest tire manufacturer. With best-in-class warranties and support you can be sure you're getting excellent value and a product you can be confident in. We're a different kind of tire company:

- North American based engineering, testing and research and development makes us a leader in product development for exceptional performance in every application and multi-compounds
- Advanced product development and engineering improvement through dedicated Sailun-owned and operated manufacturing and research and development facilities.
- Delivering value-based tire brands by ensuring cost containment through true vertical integration
- North American Sales and Marketing support with a strong foundation of supply chain excellence
- Proven track record of quality products developed under multiple commercial tire brands
- We stand behind our engineering and quality with best-in-class warranties and support



FOCUSED ON WHAT MATTERS TO YOU

Sailun is devoted to manufacturing commercial truck tires that provide you with unsurpassed value and savings. As a global leader in the value tier, this allows our tire brands to focus on improving your bottom line without sacrificing the quality, service and support that your business demands. Our trusted products are designed and tested in North America for North America.



SAILUN TOP LINE

TECHNICAL OPTIMIZATION OF PERFORMANCE

INTRODUCING THE TOP LINE: ENGINEERED FOR UNMATCHED EFFICIENCY AND ENDURANCE

Sailun Tire is redefining what commercial trucking fleets can expect from longhaul performance. The all-new TOP Line tire series—engineered specifically for steer, drive, and trailer positions-delivers industry-leading fuel efficiency, extended wear life, and innovative design tailored to today's demanding freight operations.

INNOVATION THAT DRIVES SAVINGS

At the core of the TOP Line is EcoPoint3, an exclusive tread compound developed using Sailun's proprietary Liquid Phase Mixing technology—a world-first in tire manufacturing. This breakthrough allows for ultra-fine silica dispersion, setting a new benchmark for low rolling resistance in truck tire technology. The Liquid Phase Mixing process also lowers energy consumption at the manufacturing level, showing Sailun's commitment to reduce its carbon footprint and enhance sustainability.

LIGHTER. STRONGER. SMARTER

TOP Line tires also feature our advanced Slim Bead Technology, reducing overall casing weight while further improving rolling resistance-without compromising strength or retreadability.

PRECISION DESIGN FOR EVERY POSITION

- · Steer and Trailer Tires: All-new tread designs with a wide 230mm footprint and enhanced decoupling grooves for reduced irregular wear and superior mileage performance.
- Drive Tire: 240mm wide tread purpose-built to deliver maximum traction, durability, and even wear in high-mileage, long-haul operations.



WHY TOP LINE?

- · Lowest Rolling Resistance in the industry
- EcoPoint3 Compound proprietary, sustainable, performance-driven
- · Slim Bead Technology lighter casings, improved fuel economy
- Custom Design by Position optimized for line haul performance
- · Built by Sailun innovation you can count on, value you can trust



efficiency in drive and trailer positions with reduced rolling resistance, boosting fuel economy and performance





SAILUN **FIPPROGRAM**

SmartWay® Verified Technologies Low Rolling Resistance Tires

EPA has demonstrated that certain low rolling resistance (LRR) tires and retread technologies can reduce both costs and emissions for long-haul class 8 tractor-trailers by 3% or more. Sailun is proud to introduce the S605 EFT, S606 EFT, S665 EFT, S668 EFT, S624 EFT, S768 EFT and the S705 EFT as SmartWay® Verified Low Rolling Resistance tires. At Sailun, the EFT program is our ongoing commitment to the environment and to our customers to deliver more for your investment while minimizing environmental impacts.

EPA SMARTWAY® VERIFIED TECHNOLOGIES

SmartWay® Verified Technologies, developed by the United States Environmental Protection Agency, is a public/private collaboration between the USEPA and the freight transportation industry that helps freight shippers, carriers, and logistics companies improve fuelefficiency and save money. [1] http://www.epa.gov/smartway/forpartners/technology.htm

SIZE CHART

				LONG	G HAU	L EFT									REGIO	NAL							N	MIXED S	SERVIC	Œ		ON	/OFF-RO	DAD
	Lŀ	HS	C	SD	SSD		TRL		SST	STR	STF	R/AP	AP/1	ΓRL	AP/ TRL	DRV		DRV A/S	5	08	SD		А	\ P		WIDE BASE	WIDE BASE		DRIVE	
SIZES	S605 EFT	SFL70 EFT	S768 EFT	SDL70 EFT	S705 EFT	S622	S624 EFT	STL70 EFT	S696 EFT	S606 EFT	S665 EFT	S638	S637 S637T^	S637 SP	S668 EFT	S737 SP	S757	S740	SW01	S759	S753 EFT	S811	S815	S817	SAM80	S825	S826	S758	S917	SDM80
ST235/80R16													G^																	
ST235/85R16													G^																	
215/75R17.5													Н	Н		Н														
235/75R17.5													Н																	
245/70R17.5													J																	
225/70R19.5													G	G		G		G		G										
245/70R19.5													Н	Н		Н		Н		Н										
265/70R19.5													Н																	
9.00R20 (SET)																						Н								
10.00R20 (SET)																						J								
11.00R20 (SET)																						J								
10R22.5													G								G*									
11R22.5	Н	Н	Н	Н			G	G		Н	Н				Н		Н		Н		Н	Н		Н				Н	Н	Н
12R22.5										Н*													Н						J	
295/80R22.5										Н*																				
315/80R22.5										J*														L	L					L
295/75R22.5	Н	Н	G	Н			G	G		G	G				G		Н		Н		G									
255/70R22.5						Н							Н		Н						H*			Н						
275/70R22.5													J											J						
305/70R22.5												L																		
385/65R22.5																										J	L			
425/65R22.5																										L	L			
445/65R22.5																										L				
445/50R22.5					L				L																					
12.00R24 (SET)																													L	
11R24.5	Н	Н	Н	Н			G	G		Н	Н				Н		Н		Н		Н	Н		Н				Н	Н	
285/75R24.5	Н		G	G			G			G	G										G									
* Denotes non-	-EFT tir	e ^ Dei	notes t	railer ti	re only	,																								

CONTENTS

06	SFL70 EFT	TOP PREMIUM STEER
08	SDL70 EFT	TOP PREMIUM DEEP CLOSED SHOULDER DRIVE
10	\$705 EFT	TOP SUPER SINGLE DRIVE
12	S696 EFT	TOP SUPER SINGLE TRAILER
14	STL70EFT	TOP PREMIUM LINE-HAUL TRAILER
16	S605 EFT	PREMIUM LINE-HAUL STEER
18	S606 EFT	PREMIUM LINE-HAUL STEER
20	S665 EFT	STEER/ALL-POSITION
22	S637	REGIONAL ALL-POSITION
24	S637SP	REGIONAL ALL-POSITION
26	S668 EFT	REGIONAL ALL-POSITION
28	S622	PREMIUM LINE-HAUL TRAILER
<i>30</i>	S637T	HD ST TRAILER
<i>32</i>	S624 EFT	PREMIUM LINE-HAUL TRAILER
34	S638	PREMIUM URBAN TRANSIT
<i>36</i>	S768 EFT	CLOSED SHOULDER DRIVE
<i>38</i>	S757	SUPER REGIONAL ALL WEATHER DRIVE
40	S753 EFT	OPEN SHOULDER DRIVE
42	SW01	ALL SEASON PREMIUM REGIONAL DRIVE
44	S740	PREMIUM REGIONAL DRIVE
46	S737SP	REGIONAL DRIVE
48	S759	PREMIUM REGIONAL DRIVE
<i>50</i>	S811	MIXED SERVICE ALL-POSITION
<i>52</i>	S 815	MIXED SERVICE ALL-POSITION
54	S817	MIXED SERVICE ALL-POSITION
<i>56</i>	S826	MIXED SERVICE WIDE BASE
<i>58</i>	S82 5	MIXED SERVICE WIDE BASE
60	S758	ON/OFF-ROAD TRACTION
<i>62</i>	S917	ON/OFF-ROAD TRACTION
64	SAMBO	MIXED SERVICE ALL-POSITION
<i>66</i>	SDM80	MIXED SERVICE DRIVE





SFL70 EFT

TOP PREMIUM STEER

The Sailun SFL70 EFT is a premium steer tire engineered to deliver long tread wear and excellent handling characteristics. The SFL70 EFT's 230mm tread width, micro-sipes and redesigned decoupling groove minimize irregular wear. The EcoPoint3 tread compound provides industry leading low rolling resistance without compromising tread mileage. The Slim Bead casing design lowers casing weight to improve fuel efficiency without compromising durability. The SFL70 EFT is an ideal tire for long-haul highway steer axle applications where handling and wear uniformity are critical.





FEATURES & BENEFITS:

- Wide circumferential grooves deliver exceptional wet traction.
- Slim Bead for reduced rolling resistance.
- Decoupling groove reduces uneven wear.
- 230mm tread width.
- EcoPoint3 tread compound for low rolling resistance and enhanced mileage.

- REGIONAL TRUCKS
- LINE-HAUL TRUCKS





Code	Size	LI / SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
1603032	11R22.5	146/143 M	16	19	8.25	41.3	10.9	19.3	6,610	6,005	120
1603034	11R24.5	149/146 M	16	19	8.25	43.4	10.9	20.3	7,160	6,610	120
1603030	295/75R22.5	146/143 M	16	19	9.00	40.0	11.7	18.7	6,610	6,005	120

Every tire is tested for uniformity and dynamic balance to ensure optimal ride comfort and high quality performance.

WARRANTY

Sailun TOP Line products are covered by an industry leading 10-year warranty.

RETREADABILITY

Three Recap Casing Warranty with a Casing Retread Allowance.
*See Sailun Medium Radial Truck Tire
Limited Warranty for complete details.


COMPETITIVE PRODUCTS

Bridgestone R283 Ecopia, Goodyear G399A

230 mm wide tread footprint for handling and stability



Micro-sipes and decoupling groove to reduce irregular wear









SDL70 EFT

TOP PREMIUM DEEP CLOSED SHOULDER DRIVE

The SDL70 EFT is a premium closed shoulder drive tire designed with a 240 mm wide footprint and 30/32" tread depth to deliver maximum mileage, stability and ride comfort. The SDL70 EFT has Slim Bead technology incorporated to reduce rolling resistance and improve fuel economy. The EcoPoint3 tread compound is produced by using a proprietary liquid phase mixing technology for the best compound dispersion. The benefit of EcoPoint3 is maximized mileage, wet traction and rolling resistance without compromise to any of the other attributes. SDL70 EFT is best suited for on highway long haul and regional applications.









FEATURES & BENEFITS:

- Wide footprint and deep tread for extended mileage.
- Slim Bead for reduced rolling resistance.
- · EcoPoint3 tread compound for maximum mileage, wet traction and rolling resistance
- 3 Peak Mountain Snowflake (3PMS) certification for severe winter service.
- · Smartway verified tire.

- REGIONAL TRUCKS
- LINE-HAUL TRUCKS





Code	Size	LI / SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
6690148	11R22.5	146/143 M	16	30	8.25	41.9	11.0	19.3	6,610	6,005	120
6690146	11R24.5	149/146 M	16	30	8.25	43.5	11.0	20.3	7,160	6,610	120
6690150	295/75R22.5	146/143 M	16	30	9.00	39.9	11.7	18.7	6,610	6,005	120

Every tire is tested for uniformity and dynamic balance to ensure optimal ride comfort and high quality performance.

WARRANTY

Sailun TOP Line products are covered by an industry leading 10-year warranty.

RETREADABILITY


Three Recap Casing Warranty
with a Casing Retread
Allowance.
*See Saliun Medium Radial Truck Tire
Limited Warranty for complete details.

COMPETITIVE PRODUCTS

Bridgestone M726EL, Goodyear Marathon LHD

240 mm wide tread footprint for stability and extended mileage

Solid shoulders, center lugs and deep tread for performance and traction









S705 EFT

TOP SUPER SINGLE DRIVE

The S705 EFT super single drive tire delivers exceptional performance in line haul highway applications. The tire is engineered to wear evenly for long tread life. The solid shoulder provides stability for vehicle handling and control. The center-lug tread pattern enhances traction. The EcoPoint3 tread compound provides industry leading low rolling resistance without compromising tread mileage. The S705 EFT super single is best suited for long-haul highway drive axle applications for optimizing rolling resistance and mileage. This tire is also ideal for trucks being returned off lease where a new tire is required.







FEATURES & BENEFITS:

- · Smartway verified tire.
- Deep tread depth for excellent tread life.
- Solid shoulders resist uneven wear.
- EcoPoint3 tread compound for low rolling resistance and maximum mileage.

APPLICATIONS:

• LINE-HAUL TRUCKS





Code	Size	LI/SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
6690145	445/50R22.5	161 L	20	26	14.00	40.3	17.5	18.9	10,200	-	120

Every tire is tested for uniformity and dynamic balance to ensure optimal ride comfort and high quality performance.

WARRANTY

Sailun TOP Line products are covered by an industry leading 10-year warranty.

RETREADABILITY

Three Recap Casing Warranty with a Casing Retread Allowance.

*See Sailun Medium Radial Truck Tire Limited Warranty for complete details.

COMPETITIVE PRODUCTS

Bridgestone M835A Ecopia, Hankook DL07

Solid shoulder resists lateral scrubbing in tandem drive axles.

Engineered tread design provides low rolling resistance and improved efficiency.

Zig-zag circumferential grooves provide additional biting edges for increased traction.











S696 EFT

TOP SUPER SINGLE TRAILER

The S696-EFT super single trailer tire delivers exceptional performance in line haul trailer applications. This tire is engineered with a wide shoulder rib for stability and resistance to lateral scrub wear. The tread grooves channel water away from tread footprint in wet conditions. The 13/32" tread depth is optimized for even wear and long mileage in highway trailer applications. The EcoPoint3 tread compound provides industry leading low rolling resistance without compromising tread mileage. This super single is an ideal tire for long-haul highway trailer axle applications for optimizing rolling resistance and mileage. This tire is also ideal for trailers being returned off lease where a new tire is required.







- Smartway verified tire.
- · Shallow tread reduces irregular wear.
- EcoPoint3 tread compound for low rolling resistance.
- Solid shoulder ribs minimize scrub wear.

- TANDEM AXLE TRAILERS
- SINGLE AXLE TRAILERS







Code	Size	LI/SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
6690144	445/50R22.5	161 M	20	13	14.00	40.0	17.5	18.8	10,200	-	120

Every tire is tested for uniformity and dynamic balance to ensure optimal ride comfort and high quality performance.

WARRANTY

Sailun TOP Line products are covered by an industry leading 10-year warranty.

RETREADABILITY

Three Recap Casing Warranty with a Casing Retread Allowance.

*See Sailun Medium Radial Truck Tire Limited Warranty for complete details.


COMPETITIVE **PRODUCTS**

Bridgestone R135 Ecopia, Hankook TL07

Wide Shoulder - provides stability in lateral scrub situations

Tread Sipes - Provide extra grip in wet conditions

Tread Void Area - Channel water in wet road conditions







STL70 EFT

TOP PREMIUM LINE-HAUL TRAILER

The STL70 EFT is designed specifically for on highway trailer applications. The EcoPoint3 tread compound provides industry leading low rolling resistance without compromising tread mileage. The newly designed decoupling groove aids in minimizing irregular tread wear. Micro sipes along tread ribs help the tire run cool and minimize river wear. The Slim Bead casing design lowers casing weight to improve fuel efficiency without compromising durability. The STL70 EFT is an ideal tire for long-haul highway trailer axle applications where low rolling resistance and even wear are essential.





FEATURES & BENEFITS:

- Shallow tread reduces irregular wear.
- · Slim Bead casing reduces rolling resistance.
- · Decoupling groove minimizes irregular wear.
- EcoPoint3 tread compound for low rolling resistance.
- Micro-sipes improve traction in wet conditions and dissipate heat for prolonged tread life.

- LINE-HAUL TRAILERS (TANDEM)
- LINE-HAUL TRAILERS (SINGLE)





Code	Size	LI / SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
1603036	11R22.5	144/142 M	14	12	8.25	41.5	11.0	19.3	6,175	5,840	105
1603037	11R24.5	146/143 M	14	12	8.25	43.5	11.0	20.3	6,610	6,005	105
1603035	295/75R22.5	144/141 M	14	12	9.00	39.9	11.7	18.7	6,175	5,675	110

Every tire is tested for uniformity and dynamic balance to ensure optimal ride comfort and high quality performance.

WARRANTY

Sailun TOP Line products are covered by an industry leading 10-year warranty.

RETREADABILITY

Three Recap Casing Warranty
with a Casing Retread
Allowance.
*See Saliun Medium Radial Truck Tire
Limited Warranty for complete details.

COMPETITIVE PRODUCTS

Bridgestone R197 Ecopia, Goodyear G316

230 mm wide tread footprint for extended mileage

Micro-sipes and decoupling groove to reduce irregular wear

Slim Bead to reduce casing weight and improve fuel economy











PREMIUM LINE-HAUL STEER

The S605 EFT is Sailun's premium line-haul steer tire, featuring a decoupling groove and five wide ribs for a stable ride at all speeds. Stone ejectors minimize tire damage, while extra-wide grooves and S-sipes improve traction for excellent hydroplaning resistance.

FEATURES & BENEFITS:

- Decoupling groove helps to minimize irregular wear.
- S-sipes improve traction in wet conditions and dissipate heat for prolonged tread life.
- Unique tread wall bite edges reduce irregular wear and improve traction.
- Stone ejectors protect tire from stone drilling.
- Smartway Verified for lower rolling resistance and improved fuel efficiency on highways.



- LINE-HAUL TRUCKS
- INTRASTATE AND INTERSTATE BUSES
- REGIONAL TRUCKS







Code	Size	LI/SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
8200180	11R22.5	146/143 M	16	18	8.25	41.3	10.9	19.3	6,610	6,005	120
8200182	11R24.5	149/146 M	16	18	8.25	43.4	10.9	20.3	7,160	6,610	120
8200184	295/75R22.5	146/143 M	16	18	9.00	40.0	11.7	18.7	6,610	6,005	120
8200186	285/75R24.5	147/144M	16	18	8.25	41.3	11.1	19.4	6,780	6,175	120

The S605 EFT is Sailun's premium line-haul steer tire. Uniformity istested on every tire at the factory to ensure maximum ride comfort and performance.

WARRANTY

All Sailun products are covered by an industry leading new 8 year warranty.

RETREADABILITY

Three Recap Casing Warranty with a Casing Retread Allowance.

*See Sailun Medium Radial Truck Tire Limited Warranty for complete details.


COMPETITIVE PRODUCTS

Goodyear G399A, Bridgestone R283 Ecopia


S-sipes improve traction in wet conditions and dissipate heat for prolonged tread life.



Stone ejectors protect tire from stone drilling.



Decoupling groove helps to minimize irregular wear.









5606 EFT

PREMIUM STEER ALL-POSITION

The S606 EFT is Sailun's premium steer tire, providing superior service for both Metro/Urban deliveries. This tire features extra wide shoulders with built-in sipes for excellent stability and traction under all weather conditions. An extra deep 21/32" tread depth ensures the S606 EFT delivers exceptional mileage, while an interlocking symmetrical tread block design promotes even wear and a square footprint.

FEATURES & BENEFITS:

- Wide footprint and square shoulder design for improved stability and mileage.
- Extra deep tread pattern (21/32") with special compound for extended
- Multi-sipes improve traction in wet conditions and dissipate heat for prolonged tread life.
- Unique tread wall grooves help reduce irregular wear and improve
- Stone ejectors protect tire from stone drilling.
- Smartway Verified for lower rolling resistance and improved fuel efficiency on highways.

- INTRASTATE AND INTERSTATE BUSES
- REGIONAL TRUCKS
- PICKUP AND DELIVERY TRUCKS
- TRACTOR TRAILERS













Code	Size	LI / SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
5543001	11R22.5	146/143 M	16	21	8.25	41.6	10.9	19.4	6,610	6,005	120
5542984	11R24.5	149/146 M	16	21	8.25	43.6	10.9	20.4	7,160	6,610	120
8245141*	12R22.5*	152/148 M	16	21	9.00	42.7	12.1	19.9	7,830	6,940	123
1001398	295/75R22.5	144/141 L	14	21	9.00	39.9	11.7	18.8	6,175	5,675	110
1001400	285/75R24.5	144/141 L	14	21	8.25	41.3	11.1	19.5	6,175	5,675	110
8255184*	295/80R22.5*	152/148 M	16	21	9.00	41.1	11.6	19.4	7,830	6,940	123
8244197	315/80R22.5*	156/150 L	18	20	9.00	42.6	12.3	19.8	8,820	7,385	123

^{*} Non-EFT Tire

Every Sailun S606 EFT premium steer all-position tire is tested for uniformity at the factory to ensure maximum ride comfort and quality performance.

WARRANTY

All Sailun products are covered by an industry leading new 8 year warranty.

RETREADABILITY

Three Recap Casing Warranty with a Casing Retread Allowance.

*See Sailun Medium Radial Truck Tire Limited Warranty for complete details.

COMPETITIVE PRODUCTS

Bridgestone R268 Ecopia, Goodyear Fuel Max RSA/ Endurance RSA

Multi-sipes improve traction in wet conditions and dissipate heat for prolonged tread life.



Stone ejectors protect tire from stone drilling.



Wide footprint and square shoulder design for improved stability and mileage.









STEER/ALL-POSITION

The Sailun S665 EFT is an all-position radial truck tire optimized for steer axles. This tire is engineered for use in regional, interstate and metro applications on a large array of vehicle platforms.

FEATURES & BENEFITS:

- Micro-sipes within groove walls for enhanced traction in all weather conditions.
- Variable tread angles for self-cleaning and stone ejection.
- Reinforced sidewall for increased tread life.
- Smartway Verified for lower rolling resistance and improved fuel efficiency on highways.

- INTRASTATE AND INTERSTATE BUSES
- REGIONAL TRUCKS
- FREIGHT TRUCKS
- LOCAL BUSES
- PICK-UP AND DELIVERY TRUCKS





Code	Size	LI / SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
5540148	11R22.5	146/143 M	16	18	8.25	41.5	10.9	19.3	6,610	6,005	120
5540151	11R24.5	149/146 M	16	18	8.25	43.5	10.9	20.3	7,160	6,610	120
5540149	295/75R22.5	144/141 M	14	18	9.00	39.9	11.7	19.4	6,175	5,675	110
5540152	285/75R24.5	144/141 M	14	18	8.25	41.3	11.1	18.7	6,175	5,675	110

Every Sailun S665 tire is tested for uniformity at the factory to ensure maximum ride comfort and quality performance.

WARRANTY

All Sailun products are covered by an industry leading new 8 year warranty.

RETREADABILITY


Three Recap Casing Warranty with a Casing Retread Allowance.

*See Sailun Medium Radial Truck Tire Limited Warranty for complete details.


COMPETITIVE PRODUCTS

Bridgestone R250ED, Sumitomo ST727


Micro-sipes within groove walls for enhanced traction in all weather conditions.



Variable tread angles for self-cleaning and stone ejection.



Reinforced sidewall for increased tread life.










The S637 is a versatile regional all-position tire, featuring five extra-wide ribs for exceptional stability at all speeds. An extra-wide solid shoulder resists damage caused by high-scrub applications, while a mirrored tread design ensures even wear. Wide grooves are designed for hydroplaning resistance, while a long-life rubber compound is engineered for extended tread life.

FEATURES & BENEFITS:

- Multi-sipes improve traction in wet conditions and dissipate heat for
- Shallow tread designed to reduced rolling resistance for improved
- Unique tread wall grooves help reduce irregular wear and improve traction.

- PICKUP AND DELIVERY TRUCKS
- REGIONAL TRUCKS
- LINE-HAUL TRUCKS
- REGIONAL TRAILERS
- LOW PLATFORM TRAILERS





Code	Size	LI / SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
8244381	235/75R17.5	143/141 L	16	17	6.75	31.6	8.9	14.7	6,005	5,675	125
5547971	245/70R17.5	143/141 K	18	17	6.75	31.1	9.7	14.7	6,005	5,675	125
8244332	265/70R19.5	140/138 M	16	18	7.50	34.2	10.2	15.8	5,510	5,205	112
1001468	10R22.5	141/139 M	14	18	7.50	40.1	10.0	18.7	5,675	5,355	115
8254389	255/70R22.5	140/137 M	16	18	7.50	36.7	9.7	17.1	5,510	5,070	116
5547976	275/70R22.5	148/145 M	18	19	8.25	37.9	10.7	17.6	6,940	6,395	130

Every Sailun S637 regional all-position tire is tested for uniformity at the factory to ensure maximum ride comfort and quality performance.

WARRANTY

All Sailun products are covered by an industry leading new 8 year warranty.

RETREADABILITY

Three Recap Casing Warranty with a Casing Retread Allowance.

*See Sailun Medium Radial Truck Tire Limited Warranty for complete details.

COMPETITIVE PRODUCTS

Bridgestone R238, Sumitomo ST718

Multi-sipes improve traction in wet conditions and dissipate heat for prolonged tread life.



Five rib design for improved stability.



Tread pattern designed to reduced rolling resistance for improved fuel economy.







REGIONAL ALL-POSITION

The S637SP is a versatile regional all-position tire featuring all of the same attributes as the S637 for stability, scrub resistance and wear. To further extend tire life and improve retreadability, the S637SP is enhanced with sidewall protection ribs to withstand curb abrasion and sidewall cuts common in the Last Mile Delivery segment.

FEATURES & BENEFITS:

- Multi-sipes improve traction in wet conditions and dissipate heat for prolonged tread life.
- Shallow tread designed to reduced rolling resistance for improved fuel economy.
- Unique tread wall grooves help reduce irregular wear and improve
- · Sidewall protector ribs offer curb abrasion resistance

- PICKUP AND DELIVERY TRUCKS
- REGIONAL TRUCKS
- REGIONAL TRAILERS
- · LOW PLATFORM TRAILERS
- RECREATIONAL VEHICLES
- · TOW TRUCKS















Code	Size	LI / SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
5548284	215/75R17.5	128/126 L*	16	16	6.00	30.4	8.1	14.2	3,970	3,750	110
5548284	215/75R17.5	135/133 L**	16	16	6.00	30.4	8.1	14.2	4,805	4,540	120
5548285	225/70R19.5	128/126 N	14	16	6.75	32.0	8.6	14.9	3,970	3,750	110
5548286	245/70R19.5	136/134 N	16	16	7.50	33.0	9.8	15.4	4,940	4,675	120

^{*}as specified in ETRTO for all positions ** for trailer applications only

Every Sailun S637SP regional allposition tire is tested for uniformity at the factory to ensure maximum ride comfort and quality performance.

WARRANTY

All Sailun products are covered by an industry leading new 8 year warranty.

RETREADABILITY

Three Recap Casing Warranty with a Casing Retread Allowance.

*See Sailun Medium Radial Truck Tire Limited Warranty for complete details.

COMPETITIVE **PRODUCTS**

Bridgestone R238, Sumitomo ST718


Sidewall protector ribs offer curb abrasion resistance.



Unique tread wall grooves help reduce irregular wear and improve traction.



Tread pattern designed to reduced rolling resistance for improved fuel economy.









REGIONAL ALL-POSITION

The Sailun S668 EFT is a regional radial tire designed for all positions. The S668 EFT features contoured shoulders to deliver exceptional service life in the most extreme high scrub trailer applications. The contoured shoulders make the S668 EFT ideal for use on multiaxle and spread-axle trailers. This tire is engineered with our most durable rubber compound to resist lateral scrubbing throughout the service life.

FEATURES & BENEFITS:

- 5-Rib tread pattern promotes stable on road performance and even tread wear.
- Solid shoulder design promotes lateral stability for all positions.
- Stone ejectors protect tire against stone drilling.
- Wide tread footprint maximizes tread life.

- PICK-UP AND DELIVERY TRAILERS
- REGIONAL TRAILERS
- MULTI-AXLE TRAILERS
- SPREAD-AXLE TRAILERS







Code	Size	LI / SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
4120821	11R22.5	146/143 M	16	16	8.25	41.5	11.0	19.0	6,610	6,005	120
4120824	11R24.5	149/146 M	16	16	8.25	43.5	11.0	20.0	7,160	6,610	120
5543368	255/70R22.5*	140/137 L	16	16	7.50	36.6	10.0	17.1	5,510	5,070	120
4120833	295/75R22.5	146/143 M	16	16	9.00	39.9	11.7	19.0	6,610	6,005	120

^{*} Non-EFT Tire

Every Sailun S668 EFT tire is tested for uniformity at the factory to ensure maximum ride comfort and quality performance.

WARRANTY

All Sailun products are covered by an industry leading new 8 year warranty.

RETREADABILITY

Three Recap Casing Warranty with a Casing Retread Allowance. *See Sailun Medium Radial Truck Tire Limited Warranty for complete details.

COMPETITIVE **PRODUCTS**

Bridgestone R196


5-Rib tread pattern promotes stable road performance and even wear.



Contoured solid shoulder for high scrub applications.



Stone ejectors protect tire against stone drilling.









The S622 EFT is a premium free-rolling position trailer tire. The tread pattern features a decoupling groove to resist irregular wear and wide ribs to prevent damage caused by high-scrub applications. The S622 EFT is also a low-rolling resistance tire designed to maximize your mileage and fuel economy.

FEATURES & BENEFITS:

- Decoupling grooves help minimize irregular wear.
- V-sipes improve traction in wet conditions and dissipate heat for prolonged tread life.
- Main groove stone ejectors protect tire against stone drilling.
- 5 full depth grooves for excellent traction in wet and dry conditions.



APPLICATIONS:

• TANDEM TRAILERS



Code	Size	LI/SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
8245385	255/70R22.5	140/137 L	16	14	7.50	36.5	9.7	17.0	5,510	5,070	120

Sailun technology and quality of the S622 EFT has been approved for use on EPA Smartway certified equipment.

WARRANTY

All Sailun products are covered by an industry leading new 8 year warranty.

RETREADABILITY

Three Recap Casing Warranty with a Casing Retread Allowance.

COMPETITIVE **PRODUCTS**

Bridgestone R197 Ecopia, Goodyear G316


V-sipes improve traction in wet conditions and dissipate heat for prolonged tread life



Main groove stone ejectors protect tire against stone drilling



5 full-depth grooves for excellent traction in wet and dry conditions







637T

HD ST TRAILER

The Sailun S637T is an all-steel highway rib tire designed to provide the ultimate in performance for trailer applications. The heavy duty all steel construction delivers low rolling resistance, superior strength and durability while providing sure-footing and straight tracking. The S637T is perfect for all high load capacity trailer applications.

FEATURES & BENEFITS:

- All steel construction for maximum strength and load capacity.
- Multi-sipes improve traction in wet conditions and dissipate heat for prolonged tread life.
- Five rib design for improved stability.
- Solid shoulder to resist irregular wear and improve fuel efficiency.



- RV TRAILERS
- 5TH WHEEL TRAILERS
- UTILITY TRAILERS
- BOAT TRAILERS



Code	Size	LI / SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
4120722	ST225/75R15*	121/118 M	12	10	6.00	28.3	8.8	13.2	3,200	2,910	95
4122464	ST235/80R16*	130/126M	16	10	6.50	30.8	9.3	13.9	4,190	3,750	120
4122465	ST235/85R16*	133/128M	16	12	6.50	31.7	9.3	14.3	4,540	3,970	120

^{*} All steel construction specifically designed for Trailer application only. Requires special high load capacity wheel. Consult wheel manufacturer for proper application.

Every Sailun S637T all steel highway tire is tested for uniformity at the factory to ensure maximum ride comfort and quality performance.

WARRANTY

All Sailun products are covered by an industry leading new 8 year warranty.

RETREADABILITY

Three Recap Casing Warranty with a Casing Retread Allowance. *See Sailun Medium Radial Truck Tire Limited Warranty for complete details.

COMPETITIVE PRODUCTS

Duraturn DT23, Supermax HA4, Hercules H-901ST

Multi-sipes improve traction in wet conditions and dissipate heat for prolonged tread life.



All steel construction for maximum strength and load capacity.



Five rib design for improved stability.









PREMIUM LINE-HAUL TRAILER

The S624 EFT is a premium free-rolling position trailer tire for on highway applications. The tread pattern features a decoupling groove to resist irregular wear. The rib pattern promotes long even wear and low rolling resistance. The S624 EFT utilizes new Advanced Compound Technology tread compound. Advanced Compound Technology is produced by mixing in a fluid state for the best compound dispersion. The benefit of Advanced Compound Technology is maximized mileage, wet traction and rolling resistance without compromise.

FEATURES & BENEFITS:

- Decoupling grooves help minimize irregular wear.
- Micro-sipes improve traction in wet conditions and dissipate heat for prolonged tread life.
- Advanced Compound Technology for maximum mileage, wet traction and rolling resistance
- · Smartway verified

APPLICATIONS:

TANDEM TRAILERS





Code	Size	LI / SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
9630534	11R22.5	144/142 M	14	12	8.25	41.5	11.0	19.3	6,175	5,840	105
9630535	11R24.5	146/143 M	14	12	8.25	43.5	11.0	20.3	6,610	6,005	105
9630536	295/75R22.5	144/141 M	14	12	9.00	39.9	11.7	18.7	6,175	5,675	110
9630537	285/75R24.5	144/141 M	14	12	8.25	41.3	11.1	19.4	6,175	5,675	110

Sailun technology and quality of the S624 EFT will be approved for Smartway once verified by the U.S. EPA.

WARRANTY

All Sailun products are covered by an industry leading new 8 year warranty.


RETREADABILITY

Three Recap Casing Warranty with a Casing Retread Allowance.

COMPETITIVE PRODUCTS

Bridgestone R197 Ecopia, Goodyear G316


Decoupling groove helps to minimize irregular wear



Micro-sipes improve traction in wet conditions and dissipate heat for prolonged tread life



Shallow five-rib design and Advanced Compound Technology for low rolling resistance









5638 CONVOY

PREMIUM URBAN TRANSIT

The S638 is a long wearing tire best suited for city transit buses. The wide shoulder rib is designed to stand up to lateral scrubbing. The 5/32° sidewall protection rib protects the casing from curb abrasion common in this application.

FEATURES & BENEFITS:

- · Suitable for all positions
- · Long wearing for low cost per mile
- Sidewall protection to resist curb scrubbing
- 3PMS Certified model for winter traction



- INTER-CITY TRANSIT BUSES
- TANDEM TRAILERS







Code	Size	LI/SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
1602453	305/70R22.5	153/150K	20	22	9.00	39.4	12.0	18.2	8,050	7,390	130

Factory testing for uniformity ensures maximum ride comfort and quality performance.

WARRANTY

All Sailun products are covered by an industry leading new 8 year warranty.

COMPETITIVE PRODUCTS

Bridgestone R192 Hankook SmartCity AU04

Sidewall protection to resist curb scrubbing.



Wide shoulder rib designed to stand up to lateral scrubbing.



Siping for added traction in wet and icy conditions











CLOSED-SHOULDER DRIVE

The S768 EFT is a premium closed shoulder drive tire, designed with a wide shoulder featuring tapered lateral edges for enhanced lateral stability. The S768 EFT also features stone ejector buttons that reduce stone retention, and an extra-deep tread depth for enhanced tread life.

FEATURES & BENEFITS:

- Wide footprint and square shoulder design for improved stability and mileage.
- Extra deep tread pattern with special compound for extended tread life.
- Multi-sipes improve traction in wet conditions and dissipate heat for prolonged tread life.
- Stone ejectors protect tire from stone drilling.
- Smartway Verified for lower rolling resistance and improved fuel efficiency on highways.



- LINE-HAUL TRUCKS
- REGIONAL TRUCKS
- INTRASTATE AND INTERSTATE BUSES







Code	Size	LI / SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
5542986	11R22.5	146/143 M	16	25	8.25	41.8	10.9	19.5	6,610	6,005	120
5542988	11R24.5	149/146 M	16	25	8.25	43.9	10.9	20.5	7,160	6,610	120
8200196	295/75R22.5	144/141 L	14	25	9.00	40.5	11.7	18.7	6,175	5,675	110
8200195	285/75R24.5	144/141 L	14	25	8.25	41.9	11.1	19.6	6,175	5,675	110

The Sailun S768 EFT has been approved for use on EPA Smartway certified equipment with a superior 4 belt package casing provides durability and excellent retreadability.

WARRANTY

All Sailun products are covered by an industry leading new 8 year warranty.

RETREADABILITY


Three Recap Casing Warranty with a Casing Retread Allowance.

*See Sailun Medium Radial Truck Tire Limited Warranty for complete details.


COMPETITIVE PRODUCTS

Bridgestone M710 Ecopia, Goodyear G362


Stone ejectors protect tire from stone drilling



Extra deep tread pattern with special compound for extended tread life



Multi-sipes improve traction in wet conditions and dissipate heat for prolonged tread life









SUPER REGIONAL ALL WEATHER DRIVE

The S757 represents a new generation of Sailun drive tires. The S757 is an all-weather drive tire engineered for traction and mileage in line-haul and regional service applications. The extra-wide footprint and solid shoulders improve stability and handling. The lug tread pattern and siping improves grip and the 4 zig-zag channels evacuate water away from the tread face. The S757's 26/32" tread depth provides long tread life and lower cost per mile.

FEATURES & BENEFITS:

- Extensive sipes improve traction in wet conditions and dissipate heat for prolonged tread life.
- Tie-bars on external lugs add rigidity to lugs to prevent irregular wear and improve stability.
- Extra-wide footprint promotes stability, improved handling, even treadwear, and long tread life.
- 3PMS certified for all weather conditions.

- REGIONAL TRUCKS
- PICK-UP AND DELIVERY TRUCKS
- LINE-HAUL TRUCKS









Code	Size	LI / SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
5542490	11R22.5	146/143 L	16	26	8.25	41.9	11.0	19.5	6,610	6,005	120
5543713	295/75R22.5	146/143 L	16	26	9.00	39.9	11.7	18.7	6,610	6,005	120
5542494	11R24.5	149/146 L	16	26	8.25	43.9	11.0	20.4	7,160	6,610	120

Every Sailun S757 super regional drive tire is tested for uniformity at the factory to ensure maximum ride comfort and quality performance.

WARRANTY

All Sailun products are covered by an industry leading new 8 year warranty.

RETREADABILITY

Three Recap Casing Warranty with a Casing Retread Allowance.

*See Sailun Medium Radial Truck Tire Limited Warranty for complete details.

COMPETITIVE **PRODUCTS**

Bridgestone M760, Sumitomo ST948

Extra-wide footprint promotes stability, improved handling, even treadwear, and long tread life.



Extensive sipes improve traction in wet conditions and dissipate heat for prolonged tread life.



Tie-bars on shoulder lugs add rigidity to prevent irregular wear and improve stability.



SAILUN







OPEN SHOULDER DRIVE

The S753 EFT is a premium open shoulder drive, excellent for regional and pickup applications. Featuring a center interlocking tread block designed for improved stability, the S753 delivers exceptional tread life at 25/32"* tread depth. *Exception: 10R22.5, 255/70R22.5.

FEATURES & BENEFITS:

- Open shoulder design and tread grooves promote self-cleaning characteristics and improve traction.
- Central and edge siping for improved traction.
- · Extra strong casing design for enhanced durability.
- Integrated central lugs for improved stability.
- Smartway Verified for lower rolling resistance and improved fuel efficiency on highways.

- PICKUP AND DELIVERY TRUCKS
- INTRASTATE AND INTERSTATE BUSES
- REGIONAL TRUCKS
- LINE-HAUL TRUCKS
- LOCAL BUSES
- DUMP TRUCKS











Code	Size	LI / SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
5543673	10R22.5*	141/139 M	14	23	7.50	40.6	10.0	18.7	5,675	5,355	115
5542971	11R22.5	146/143 M	16	25	8.25	41.8	10.9	19.5	6,610	6,005	120
5542987	11R24.5	149/146 M	16	25	8.25	43.9	10.9	20.5	7,160	6,610	120
5542386	255/70R22.5*	140/137 L	16	24	7.50	36.9	10.0	17.1	5,510	5,070	120
5540527	295/75R22.5	144/141 L	14	25	9.00	40.5	11.7	20.2	6,175	5,675	110
5540526	285/75R24.5	144/141 L	14	25	8.25	41.6	11.1	19.4	6,175	5,675	110

^{*} Size not Smartway Verified

The Sailun S753 EFT has been approved for use on EPA Smartway certified equipment with a superior 4 belt package casing provides durability and excellent

WARRANTY

All Sailun products are covered by an industry leading new 8 year warranty.

RETREADABILITY

Three Recap Casing Warranty with a Casing Retread Allowance.

*See Sailun Medium Radial Truck Tire Limited Warranty for complete details.


COMPETITIVE PRODUCTS

Bridgestone M711, Goodyear G182


Central and edge siping for improved traction



Open shoulder design and tread grooves promote self-cleaning characteristics and improve traction



Integrated central lugs for improved stability









ALL SEASON PREMIUM REGIONAL DRIVE

The Sailun SWO1 is a premium regional on highway drive tire designed for four season traction. This versatile tire is ideal for all weather conditions and features an aggressive symmetrical tread design for exceptional traction in snow and ice conditions. The SW01 is best suited for on highway applications that require snow and ice traction

FEATURES & BENEFITS:

- Extensive sipes in tread pattern for exceptional snow and ice traction.
- · Aggressive tread blocks for outstanding snow handling.
- Tread pattern promotes self-cleaning and resists stone drilling.
- 3 Peak Mountain Snowflake (3PMS) certification for severe winter service.

- REGIONAL TRUCKS
- LINE-HAUL TRUCKS
- PICK-UP AND DELIVERY TRUCKS
- REFUSE TRUCKS
- COLD WEATHER CONDITIONS













Code	Size	LI/SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
5540969	11R22.5	146/143 L	16	27	8.25	41.9	11.0	19.3	6,610	6,005	120
5544201	295/75R22.5	146/143 L	16	27	9.00	39.9	11.7	18.7	6,610	6,005	120
5542068	11R24.5	149/146 L	16	27	8.25	43.9	11.0	20.2	7,160	6,610	120

Every Sailun SW01 tire is tested for uniformity at the factory to ensure maximum ride comfort and quality performance.

WARRANTY

All Sailun products are covered by an industry leading new 8 year warranty.

RETREADABILITY

Three Recap Casing Warranty with a Casing Retread Allowance. *See Sailun Medium Radial Truck Tire Limited Warranty for complete details.

COMPETITIVE PRODUCTS

Aeolus ADW81


Extensive sipes in tread pattern for exceptional mud, snow and ice traction.



Aggressive tread blocks for outstanding snow and mud handling.



Tread pattern promotes self-cleaning and resists stone drilling.









PREMIUM REGIONAL DRIVE

The Sailun S740 is a premium regional drive tire designed with four season traction in mind. This tire is ideal for severe wet, mud, snow and ice conditions because of the enhanced siped tread pattern. The S740 will provide outstanding handling and stability in the most demanding winter driving conditions.

FEATURES & BENEFITS:

- Extensive sipes in tread pattern for exceptional ice and snow traction.
- Aggressive tread blocks for outstanding snow and mud handling.
- Open tread pattern cleans out well in snow and mud conditions.
- 3 Peak Mountain Snowflake denotes a true winter tire.

- REGIONAL TRUCKS
- PICK-UP AND DELIVERY TRUCKS
- TOW TRUCKS
- COLD WEATHER CONDITIONS







Code	Size	LI / SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
5541271	225/70R19.5	128/126 M	14	21	6.75	32.2	8.9	15.4	3,970	3,750	110
5541270	245/70R19.5	135/133 L	16	21	7.50	33.3	9.8	15.4	4,805	4,540	125

The Sailun S740 premium regional drive tire is one of the first light commercial truck tires to receive the 3 Peak Mountain Snowflake (3PMSF) certification.

WARRANTY

All Sailun products are covered by an industry leading new 8 year warranty.

RETREADABILITY

Three Recap Casing Warranty with a Casing Retread Allowance.

*See Sailun Medium Radial Truck Tire Limited Warranty for complete details.

COMPETITIVE PRODUCTS

Bridgestone M729F, Bridgestone M724F, Goodyear G622 RSD

Extensive sipes in tread pattern for exceptional ice and snow traction



Aggressive tread blocks for outstanding snow and mud handling



Open tread pattern cleans out well in snow and mud conditions









REGIONAL DRIVE

The S737SP is a regional pickup and delivery drive tire, enhanced to extend tire life and improve retreadability with sidewall protection ribs that withstand curb abrasion and sidewall cuts common in the Last Mile Delivery segment. Certified with the three-peak mountain snowflake (3PMS) symbol, the S737SP meets the industry's severe snow service requirements ensuring year-round traction in all weather conditions.

FEATURES & BENEFITS:

- Integrated tie bars reduce irregular wear and promote increased stability.
- Angled lug and siping design improves overall traction and wet grip.
- 3 Peak Mountain Snowflake denotes a true winter tire.
- Sidewall protector ribs offer curb abrasion resistance

- PICKUP AND DELIVERY TRUCKS
- REGIONAL TRUCKS
- TOW TRUCKS









Code	Size	LI / SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
5548287	215/75R17.5	135/133 L	16	19	6.00	30.5	8.1	14.1	4,805	4,540	120
5548288	225/70R19.5	128/126 N	14	20	6.75	32.2	8.6	15.0	3,970	3,750	110
5548289	245/70R19.5	136/134 M	16	21	7.50	33.4	9.6	15.5	4,940	4,675	120

Every Sailun S737SP tire is tested for uniformity at the factory to ensure maximum ride comfort and quality performance.

WARRANTY

All Sailun products are covered by an industry leading new 8 year warranty.

RETREADABILITY

Three Recap Casing Warranty with a Casing Retread Allowance.

*See Sailun Medium Radial Truck Tire Limited Warranty for complete details.

COMPETITIVE **PRODUCTS**

Bridgestone M729F, Sumitomo ST918

Sidewall protector ribs offer curb abrasion resistance.



Angled lug and siping design improves overall traction and wet grip.



Integrated tie bars reduce irregular wear and promote increased stability.









The Sailun S759 is a premium regional drive tire designed for superior on and off road performance. The open shoulder siped block design in conjunction with the zigzag lugs provide all the traction required for any weather or road condition. The S759 will provide outstanding handling and stability in the most demanding winter driving conditions.

FEATURES & BENEFITS:

- Shoulder block sipes for enhanced ice and snow traction.
- · Aggressive tread blocks for outstanding snow and mud handling.
- Open tread pattern cleans out well in snow and mud conditions.
- 3 Peak Mountain Snowflake denotes a true winter tire.



- REGIONAL TRUCKS
- PICK-UP AND DELIVERY TRUCKS
- TOW TRUCKS
- COLD WEATHER CONDITIONS







Code	Size	LI / SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
5547941	225/70R19.5	128/126 M	14	20	6.75	31.9	8.9	14.9	3,970	3,750	110
5547942	245/70R19.5	135/133 M	16	20	7.50	33.0	9.8	15.4	4,805	4,540	120

Factory testing for uniformity ensures maximum ride comfort and quality performance.

WARRANTY

All Sailun products are covered by an industry leading new 8 year warranty.

RETREADABILITY

Three Recap Casing Warranty with a Casing Retread Allowance. *See Sailun Medium Radial Truck Tire Limited Warranty for complete details.

COMPETITIVE PRODUCTS

Continental HDR+ (18/32"), Bridgestone M704 (20/32"), Goodyear G622 (19/32")

Open tread pattern cleans out well in snow and mud conditions.



Aggressive tread blocks for outstanding snow and mud handling.



Shoulder block sipes for enhanced ice and snow traction.







5811

MIXED SERVICE ALL-POSITION

The Sailun S811 is an all-position rib suitable for both on and off-road applications. The S811 was engineered with extended tread life in mind, and designed to deliver class-leading cut and chip resistance.

FEATURES & BENEFITS:

- Four rib design with zigzag patterns for stone protection.
- Deep arrowhead shoulder grooves for maximum traction in rough terrain situations.
- Extra-deep tread design and unique compound for extended tread life.



- REGIONAL TRUCKS
- DUMP TRUCKS
- READY MIX TRUCKS
- REFUSE TRUCKS
- LOGGING TRUCKS









Code	Size	LI/SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
8245543	9.00R20 ^	144/142 K	16	19	7.00	36.5	10.0	18.8	6,175	5,840	130
8200006	10.00R20 ^	149/146 K	18	21	7.50	41.5	11.0	19.1	7,160	6,610	135
1000645	11.00R20 ^	152/149 K	18	21	8.00	42.7	11.5	19.7	7,830	7,160	135
5543035	11R22.5	148/145 M	16	20	8.25	41.5	11.0	19.3	6,940	6,395	120
5543037	11R24.5	149/146 L	16	21	8.25	43.5	11.0	20.3	7,160	6,610	120

[^] Denotes Tube Type

Sailun S811 offers a specially formulated tread compound and deeper tread depth for improved tread life ideally suited for off-road and construction applications.

WARRANTY

All Sailun products are covered by an industry leading new 8 year warranty.

RETREADABILITY

Three Recap Casing Warranty with a Casing Retread Allowance.

*See Sailun Medium Radial Truck Tire Limited Warranty for complete details.

COMPETITIVE PRODUCTS

Bridgestone M853

Four rib design with zigzag patterns for stone protection.



Deep arrowhead shoulder grooves for maximum traction in rough terrain situations.



Extra-deep tread design and unique compound for extended tread life.



SAILUN



5815

MIXED SERVICE ALL-POSITION

The S815 is a mixed service tread featuring a chipresistant compound ideally suited for off-road and construction applications. A zigzag tread pattern design reduces stone retention, while maximizing traction under all applications. Sidewall protectors are engineered to provide an enhanced level of protection to the casing.

FEATURES & BENEFITS:

- Large deep shoulder grooves for improved traction and heat dissipation.
- Interlocking ribs promote improved stability and smoother wear.
- Wide footprint and unique shoulder design for improved stability.
- Specially formulated compound and deep tread depth for improved tread life.
- Stone ejectors protect tire from stone drilling.



- DUMP TRUCKS
- MIX CONCRETE TRUCKS
- REGIONAL TRUCKS
- REGIONAL TRAILERS
- MULTI-AXLE TRAILERS
- SPREAD-AXLE TRAILERS
- DUMP TRAILERS











Code	Size	LI/SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
8200222	12R22.5	152/148 L	16	21	9.00	42.9	11.8	19.9	7,830	6,940	123

Sailun S815 offers a specially formulated tread compound and deeper tread depth for improved tread life ideally suited for off-road and construction applications.

WARRANTY

All Sailun products are covered by an industry leading new 8 year warranty.

RETREADABILITY


Three Recap Casing Warranty with a Casing Retread Allowance.

*See Sailun Medium Radial Truck Tire Limited Warranty for complete details.


COMPETITIVE **PRODUCTS**

Bridgestone M853

Large, deep shoulder grooves for improved traction and heat dissipation.



Interlocking lugs promote improved stability and smoother wear.



Specially formulated compound and deep tread depth for improved tread life.







S817

MIXED SERVICE ALL-POSITION

The S817 is a mixed service all-position design featuring a chip and cut resistant compound ideally suited for off-road and construction applications. The tread void opening and groove angles reduce stone retention, while maximizing stability. The tread to void ratio optimizes both traction and mileage these applications require.

FEATURES & BENEFITS:

- Solid shoulder for scrub resistance.
- Interlocking ribs promote smooth wear and extend mileage.
- Wide footprint and unique shoulder design for improved stability.
- Optimized tread void angle to reduce stone retention.
- Specially formulated compound for cut/chip resistance.

- DUMP TRUCKS
- MIX CONCRETE TRUCKS
- REGIONAL TRUCKS
- REGIONAL TRAILERS
- MULTI-AXLE TRAILERS
- SPREAD-AXLE TRAILERS
- DUMP TRAILERS











Code	Size	LI/SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
5548254	11R22.5	146/143 L	16	21	8.25	41.7	11.0	19.3	6,610	6,005	120
5548255	11R24.5	149/146 L	16	21	8.25	43.7	11.0	20.3	7,160	6,610	120
5548256	255/70R22.5	140/137 L	16	20	7.50	36.6	10.0	17.1	5,510	5,070	120
5548257	275/70R22.5	148/145 K	18	21	8.25	37.7	10.8	17.6	6,940	6,395	130
5548258	315/80R22.5	161/157 G	20	20	9.00	42.4	12.3	19.7	10,200	9,090	130

Every Sailun S817 tire is tested for uniformity at the factory to ensure maximum ride comfort and quality performance.

WARRANTY

All Sailun products are covered by an industry leading new 8 year warranty.

RETREADABILITY


Three Recap Casing Warranty with a Casing Retread Allowance.

*See Sailun Medium Radial Truck Tire Limited Warranty for complete details.


COMPETITIVE PRODUCTS

Bridgestone M853, Continental HSR3

Stone Ejectors to prevent stone retention and casing damage.



Tread design optimized for both traction and long life.



Wide shoulder construction to resist scrub wear.









The Sailun S826 wide base tire delivers exceptional performance in mixed service applications. The S826 is engineered with a 4-belt package to deliver superior resistance to shocks and penetrations. Its aggressive tread design provides excellent traction off-road and on. The S826 features wide circumferential grooves which deliver enhanced wet traction. The tread grooves are engineered with "stone ejectors" to prevent stone drilling for a long casing life and improved retreadability. The S826 is designed to handle severe service applications such as heavy construction, dump trucks, ready-mix trucks and regional trucks.

FEATURES & BENEFITS:

- Interlocking lugs promote improved stability and smoother wear.
- Stone ejectors protect tire against stone drilling
- Wide footprint and unique shoulder design for improved stability.
- Specially formulated compound for improved tread life.

- DUMP TRUCKS
- REFUSE TRUCKS
- READY MIX TRUCKS
- REGIONAL TRUCKS











Code	Size	LI/SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.	
4121165	385/65R22.5	160 K	20	22	11.75	42.2	15.1	19.8	9,920	N/A	130	
5542973	425/65R22.5	165 K	20	22	12.25	44.3	16.6	20.3	11,400	N/A	120	

Interlocking lugs promote improved stability and smoother wear.

Stone ejectors protect tire against stone drilling.

Specially formulated compound for improved tread life.











MIXED SERVICE WIDE BASE

The S825 is an all-position mixed service tire, engineered with a rubber compound that resists high-scrub and off-road applications. Stone ejector buttons reduce tire damage, and angled tread blocks are designed to deliver excellent wet traction.

FEATURES & BENEFITS:

- Wide footprint and unique shoulder design for improved stability.
- Interlocking lugs promote improved stability and smoother wear.
- Specially formulated compound for improved tread life.
- Stone ejectors protect tire against stone drilling.



- DUMP TRUCKS
- REFUSE TRUCKS
- MIX CONCRETE TRUCKS
- REGIONAL TRUCKS









Code	Size	LI/SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
1001333	445/65R22.5	168 K	20	21	13.00	45.3	17.5	20.7	12,300	N/A	120

The Sailun guarantee; a consistently uniform wide base tire with extra strong casing designed for durability.

WARRANTY

All Sailun products are covered by an industry leading new 8 year warranty.

RETREADABILITY

Three Recap Casing Warranty with a Casing Retread Allowance.

*See Sailun Medium Radial Truck Tire Limited Warranty for complete details.

COMPETITIVE PRODUCTS

Goodyear G296 MSA, Bridgestone M854/M844

Interlocking lugs promote improved stability and smoother wear.



Stone ejectors protect tire against stone drilling.



Specially formulated compound for improved tread life.



SAILUN



ON/OFF-ROAD TRACTION

The S758 is designed for severe off-road traction applications. With an extra-deep 31/32" tread depth and a rubber compound engineered to resist the most demanding environments, the S758 is ideal for construction, logging, and off-road environments. Stone ejectors resist the damages caused by stone retention, and an open shoulder with tapered sidewalls aid in lateral stability.

FEATURES & BENEFITS:

- Open groves to maximize self-cleaning.
- Stone ejectors protect tire against stone drilling.
- Extra deep tread (31/32") tread depth.
- M&S lug pattern designed specifically for on and off road applications.



- DUMP TRUCKS
- LOGGING TRUCKS
- MIX CONCRETE TRUCKS







Code	Size	LI/SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
5543059	11R22.5	146/143 K	16	31	8.25	42.2	10.9	19.6	6,610	6,005	120
5543060	11R24.5	149/146 K	16	31	8.25	43.9	10.9	20.6	7,160	6,610	120

Every Sailun S758 tire is tested for uniformity at the factory to ensure maximum ride comfort and quality performance.

WARRANTY

All Sailun products are covered by an industry leading new 8 year warranty.

RETREADABILITY

Three Recap Casing Warranty with a Casing Retread Allowance.

*See Sailun Medium Radial Truck Tire Limited Warranty for complete details.


COMPETITIVE PRODUCTS

Bridgestone M775

Stone ejectors protect tire against stone drilling.



Open groves to maximize self-cleaning; extra-deep tread (31/32") tread depth.



M&S lug pattern designed specifically for on and off-road applications.







5917

ON/OFF-ROAD TRACTION

The Sailun S917 drive tire has been engineered to perform in demanding off-road conditions such as mining, construction and logging applications. The S917 features an aggressive multi-lug tread design for exceptional off-road traction and an enhanced rubber compound to resist cuts and chunking. Open shoulder ribs deliver superior stability and resistance to uneven wear. The S917's deep 31/32" tread depth provides long tread life and an exceptional cost per mile.

FEATURES & BENEFITS:

- Aggressive multi-lug design.
- Deep tread depth for excellent tread life.
- Open shoulder design for excellent traction.



- LOGGING TRUCKS
- READY MIX TRUCKS
- REFUSE TRUCKS
- DUMP TRUCKS









Code	Size	LI/SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
8256851	11R22.5	148/145 G	16	31	8.25	42.1	10.9	19.6	6,940	6,390	123
1001252	11R24.5	149/146 G	16	31	8.25	43.9	11.0	20.6	7,160	6,610	120
1001337	12R22.5	152/149 G	18	31	9.00	43.5	12.1	20.2	7,830	7,160	135
8246837*	12.00R24*	160/157 F	20	32	8.50	48.7	12.4	22.8	9,920	9,090	120

[^] Denotes Tube Type

Every Sailun S917 tire is tested for uniformity at the factory to ensure maximum ride comfort and quality performance.

WARRANTY

All Sailun products are covered by an industry leading new 8 year warranty

RETREADABILITY

Three Recap Casing Warranty with a Casing Retread Allowance. *See Sailun Medium Radial Truck Tire Limited Warranty for complete details.

COMPETITIVE PRODUCTS

Bridgestone L320, Sumitomo ST900

Aggressive multi-lug design



Deep tread depth for excellent tread life



Open shoulder design for excellent traction







SAM80

MIXED SERVICE ALL-POSITION

The Sailun SAM80 is an all-position rib suitable for both on and off-road applications. The SAM80 was engineered with extended tread life in mind and designed to deliver class-leading chip resistance. The SAM80 is best suited for waste fleets with severe high scrub applications.

FEATURES & BENEFITS:

- 270 mm tread width to maximize handling, stability and mileage.
- Solid shoulder delivers stability in all positions.
- Extra-deep tread design and unique compound for extended tread life.
- Durable heavy duty casing construction for excellent retreadability.

- DUMP TRUCKS
- REFUSE TRUCKS
- READY MIX TRUCKS
- REGIONAL TRUCKS









Code	Size	LI/SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
4124918	315/80R22.5	161/157K	20	22	9.00	42.5	12.3	19.9	10,200	9,090	130

Every tire is tested for uniformity and dynamic balance to ensure optimal ride comfort and high quality performance.

WARRANTY

All Sailun products are covered by and industry leading 8-year warranty.

RETREADABILITY

Three Recap Casing Warranty with a Casing Retread Allowance. *See Sailun Medium Radial Truck Tire Limited Warranty for complete details.

COMPETITIVE PRODUCTS

Bridgestone M870, Cooper RM230WH

270 mm wide tread footprint for extended mileage



Deep tread for lateral traction



Solid shoulder for stability and wear in highscrub applications







SDM80

MIXED SERVICE DRIVE

The Sailun SDM80 tire is engineered for high scrub mixed service applications. The stabilized shoulder and tread block design provide resistance to scrub wear in operations with copious twisting and turning. The stone protectors at the base of the tread void aide in reducing stone damage. The SDM80 is designed to handle severe service applications such as heavy construction, dump trucks, ready-mix trucks and waste trucks.

FEATURES & BENEFITS:

- Designed for highway and mixed road surfaces.
- Stabilized tread design to minimize scrub wear.
- Open shoulder for traction in all conditions.
- · Stone protectors for extended casing life and retreadability.

- DUMP TRUCKS
- REFUSE TRUCKS
- READY MIX TRUCKS
- REGIONAL TRUCKS









Code	Size	LI/SR	PR	T.D.	RIM	O.D.	S.W.	S.L.R.	LCCx1	LCCx2	A.P.
6690001	11R22.5	146/143L	16	26	8.25	41.5	11.0	19.3	6,610	6,005	120
6690000	315/80R22.5	156/153K	20	26	9.00	42.5	12.3	19.9	8,820	8,045	125

Every SDM80 is tested at the factory to ensure maximum ride comfort and quality performance.

WARRANTY

All Sailun products are covered by and industry leading 8-year warranty.

RETREADABILITY

Three Recap Casing Warranty with a Casing Retread Allowance. *See Sailun Medium Radial Truck Tire Limited Warranty for complete details.

COMPETITIVE PRODUCTS

Bridgestone M870 Sumitomo ST900

Stone Protectors to extend casing life



Open Shoulder for excellent traction



Wide tread foot print and solid lugs for scrub resistance





THE SIZE	<u>UAILON</u>									
245/76R17.5 SNOCE 140 15	TIRE SIZE									
286/75R17.5 DIAL 245/70R17.5 DIAL 245/70R17.5 DIAL 245/70R17.5 DIAL 245/70R17.5 DIAL 245/70R19.5 DIAL 256/70R19.5 DIAL 256/70R19.6	215/75D17 5		KG LB					1550 3415	1600(E) 124 3525(E) 124	
225/78817.5 225/78817.5 225/78817.5 EMCLE 225/78817.5 EMCLE 225/78818.5 EMCLE	213/73817.3	SINGLE	LB				3525	3640	1700(E) 126 3750(E) 126	
245/70R17.5 DUL	235/75R17.5		LB				4190	4300	4410(E) 132	
244/70R17.5 SMGLE 1			LB				4410	4510	4675(E) 134	
228/70R19.5 BOOLE DIA PROPERTY OF THE PROPERT	245/70R17.5		LB				4190	4300	4410(E) 132 2120(E) 134	
225/70R19.5 SINCLE 245/70R19.5 DUAL 245/70R19.5 DUAL 266/70R19.5 SINCLE 10 266/70R19.5 SINCLE 11 266/70R19.5 SINCLE 10 266/70R19.5 S			KG			1180(D) 114	1230	1300	1360(E) 119	
245/70R19.5 DOAL 250/70R19.5 DOAL 265/70R19.5 DOAL 1	225/70R19.5		KG			1250(D) 116	1310	1380	1450(E) 121	
265/70R19.5 DAL 100 140 140 140 150	0.45/505.40.5		KG			1320	1390	1460	1550	
265/70R19.5 SNOCLE 11.00R20 DUAL 11.00R20 DUAL 11.00R20 DUAL 11.00R20 SNOCLE 16 17 11.00R20 SNOCLE 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	245/70R19.5	SINGLE	KG			1400	1480	1550	1650	
SHOLE SHOL	265/70 D 10 5	DUAL	KG LB			1450 3195	1560 3430	1640 3600	1700 3750	
9.00R20 SINGLE 10 SINGLE 1	203/10119.3	SINGLE	LB				3650	3830	3970	
10.00R20 DUAL 18 18 18 18 18 18 18 18 18 18 18 18 18	9.00R20		LB				3860(D) 127	4045	4230	
11.00R20 SINGLE 9R22.5 DUAL 10R22.5 SINGLE 10LA 11R22.5 SINGLE 10LA			LB				4080(D) 129	4280	4480	
11.00R20 SINGLE 9R22.5 DUAL 10R22.5 SINGLE 10LA 11R22.5 SINGLE 10LA	10.00R20		LB				l 2050 l	4580 2160	4760	
### 11.00R20 ### SNOLE 15 15 15 15 15 15 15 1			KG				4530 2170	2260	2350	
9R22.5 SINGLE 10R22.5 DUAL 11R22.5 DUAL 11R22.5 SINGLE 1.5 SI	11.00R20		KG				2240	2360 5300	2470	
10R22.5 SINGLE Co. C	0000 -	DUAL	KG				1480	1550	1610	
10R22.5 SINGLE	9R22.5	SINGLE	KG LB				1530 3370	1610 3560	1690	
11R22.5	10R22.5	DUAL	LB				1750 3860	4045	4230	
11R22.5 SINGLE 10	1011210		LB				4080	4280	4480	
12R22.5 DUAL 16 1 4770 4990 1770 499	11R22.5		LB				4380	4580	4760	
12R22.5 SINGLE LB			LB				4530	4770	4990	
315/80R22.5 DUAL 150 SINOLE 160 S	12R22.5		KG				2240	2360	5190 2470	
305/70R22.5 SINGLE KG			KG				4940	2420	2575	
DUAL NG	315/80R22.5	SINGLE	KG					2660	2800	
295/80R22.5 DUAL LE	205/70 D 22 5	DUAL -	KG					2230	2360	
295/80R22.5 DUAL 18	303/ I ORZZI3	SINGLE	LB				0.100	5410	2575 5675	
295/75R22.5 DUAL KG 1860 1950 2080	295/80R22.5		LB				4630	4860	5070	
295/75R22.5			LB				5090	5340	5510	
275/70R22.5	295/75R22.5		KG				4095 2040	4300 2140	4540 2240	
275/70R22.5 SINGLE LB			KG				4500	4725	2180	
DUAL LB S4415 S585 3765 3970 S180LE LB S4415	275/70R22.5		KG						2360	
Single KG 1650 1730 1820 1900	055/70D00 5	DUAL -	KG						1800	
Single	255/ / UR22.5	SINGLE	LB			1650	1730	1820	1900	
August Lib Good	385/65R22.5		LB			2750	2000	2060	2150	
A25/65R22.5 SINGLE			LB			6060	6380	6720	6940	
A45/65R22.5	425/65R22.5		LB KG			3270	3430	3640	3750	
### Add			LB KG			7210	7590	7990	8270	
DUAL LB	445/65R22.5		KG				3720 8230			
SINGLE LB	44E/E0000 F	DUAL	KG							
DUAL LB	445/5UK22.5	SINGLE	KG LB				2980 6570	3150 6940	3320 7310	
SINGLE LB	12.00R24		LB				2780 6120	2860 6390	3020 6650	
Table Columbia C			LB				6330	6660	6980	
DUAL LB	11R24.5		LB				4660	4870 2300	5070	
285/75R24.5 SINGLE KG SINGLE LB DUAL LB 2160 2240 4770 4940 4940 EB 4770 4940 EB 4770 4940 EB EB EB EB EB EB EB EB EB E	285/75R24.5		LB KG				4820	5070 1970	5310 2060	
ST235/80R16 DUAL KG 1090 1130 1180(D) 114 1250 1290 1360(E) 119			KG					4340 2160	4540 2240	
SINGLE KG 1235 1290 1360(D) 119 1420 1475 1550(E) 123			KG	1090	1130		1250	1290	1360(E) 119	
ST235/85R16 NG 1165 1220 1280(D) 117 1340 1385 1450(E) 121 LB 2560 2690 2830(D) 117 2950 3060 3200(E) 121 SINGLE KG 1320 1385 1450(D) 121 1525 1580 1650(E) 125 BUAL KG 3200(D) 121 3360 3480 3640(E) 125 ST225/75R15 KG 1030 1060 1150(D) 113 1190 1235 1235(E) 117	ST235/80R16	SINGLE	KG	1235	1290	1360(D) 119	1420	1475	1550(E) 123	
SINGLE KG 1320 1385 1450(D) 121 1525 1580 1650(E) 125 LB 2910 3060 3200(D) 121 3360 3480 3640(E) 125 DUAL KG DUAL LB SINCLE KG 1030 1060 1150(D) 113 1190 1235 1235(E) 117	\$T23E/0ED46	DUAL	KG LB	1165 2560	1220 2690	1280(D) 117 2830(D) 117	1340 2950	1385 3060	1450(E) 121 3200(E) 121	
ST225/75R15 LB LB SINCLE KG 1030 1060 1150(D) 113 1190 1235 1235(E) 117	31233/03K10	SINGLE	LB	1320	1385	1450(D) 121	1525	1580	1650(E) 125	
CINCLE 1000 1000 1130(D) 113 1130 1203 1233(E) 117	ST225/75R15		LB	1020	1000	11E0/D) 110	1100	1005	1925/E) 447	
		SINGLE		2270		2535(D) 113		2720	2830(E) 117	

590 85 1650 38640 17550 38600 2060 4510 2180 4805 2060 4510 2180 4805 2180 4805 315 1500 3315 1500 3315 1590 3515 1700 3740 1780 3740 1780 2000(E) 132 4410(E) 132 2120(E) 134 4675(E) 134 2250 3890 2000(E) 132 44410(E) 132 2120(E) 134	90 1700 3750 1800 3750 1800 3970 2120 4675 2240 4940 2120 4675 2240 4940 1470 3245 1570 3450 1660 3655 1770 3890 1860 4095 1970 4355 2080 4585 2200 4850 2500(F) 138 5205(F) 141 55675(F) 141 2725(F) 141 2725(F) 143 6005(F) 143 6005(F) 143 1750(E) 127 3860(E) 129 4080 4585 2200 4850 2360(F) 138 5205(F) 141 5675(F) 141 5675(F) 141 2725(F) 143 6005(F) 143 6005(F) 143 1750(E) 127 3860(E) 129 4080(E) 129 4080 4585 2200 44850 2200 4850 2200	95 1750(F) 127 3860(F) 127 3860(F) 129 4080(F) 129 4080(F) 129 2180(F) 135 4805(F) 135 2300(F) 137 5070(F) 137 5070(F) 137 55070(F) 137 1550(F) 123 3415(F) 123 1650(F) 125 3640(F) 125 3640(F) 125 3640(F) 125 3650(F) 127 3860(F) 127 3860(F) 127 4800(F) 127 4800(F) 129 4900 2060 4540 2160 4760 2280 5025 2460 5415 2600 5730 2630 5785 2820 6205 1820 4055 1920 4235 2160 4760 2280 5025 2460 5416 5416 2280 5025 2460 5417 2600 5780 2630 5785 2820 6205 1820 4005	100 1800 3970 1900 41900 41900 2240 4940 2360 5205 2240 49440 2360 5505 5205 1580 3490 3715 1790 3940 1900 4405 2130 4405 2130 440(F) 136 56025 2910 4190 4390 4390 4390 4390 4390 4390 4390 43	720 105 1850 4080 4950 4300 2300 5070 2430 5355 2300 5070 2430 5355 1640 3615 1740 3845 1850 4075 1970 2430 5080 5080 5080 5080 5080 2430 5080 5080 5080 610(3) 142 2800(3) 144 2725(3) 143 300(6) 143 300(6) 143 300(6) 143 300(6) 143 300(6) 143 300(6) 143 300(6) 144 1950(7) 133 450(7) 133 450(7) 133 450(7) 133 2430 5075 5840(6) 142 5840(6) 142 5840(7) 133 450(7) 133 450(7) 133 450(7) 133 450(7) 133 5075 5860(6) 1442 5840(6) 145 5840(6) 145 5840(6) 145 5840(6) 145 5840(6) 145 5850(6) 145 5850(6) 145 5850(6) 145 5850(6) 145 5850(6) 145	760 110 1900(G) 130 4190(G) 130 2000(G) 132 4410(G) 132 2360(G) 138 5205(G) 138 5205(G) 138 5205(G) 138 5205(G) 138 5205(G) 138 5205(G) 138 2500(G) 140 1700(G) 126 3750(G) 126 3750(G) 131 4300(G) 131 4300(G) 131 4300(G) 131 4300(G) 131 4300(G) 131 4300(G) 131 5070(G) 137 5070(G) 137 2360 5220 5515 5895 2870 6320 2840 6265 3120 6265 3120 62660 6370 6320 6320 6320 6320 6320 6320 6320 632	790 115 1950 4300 2060 4540 2430 5355 2575 2675 2430 3855 1860 4100 1970 4345 2095 4620 2430(G) 139 5355(G) 141 2710 5950 2940 6465 2960 4550 2180 4810 2430(G) 139 5355(G) 139 2575(G) 141 2710 5950 2940 6465 2960 6525 3240 7130 7270 7355(G) 141 7575(G) 141	325 120 2000 4410 2120 4675 2500 5510 2650 5510 2650 5510 2650 5840 1800(H) 128 3970(H) 128 3970(H) 133 4190(H) 130 4190(H) 130 4190(H) 130 4540(H) 133 2180(H) 135 2650 5515 2650 5515 2650 5840 725(H) 143 3000(H) 146 3075(H) 147 3350(H) 150 2120(G) 134 4675(G) 134 4675(G) 134 4675(G) 134 4675(G) 134 4675(G) 136	360 125 2060(H) 133 4540(H) 135 4805(H) 135 2575(H) 141 5675(H) 141 2725(H) 143 6005(H) 143 2575(H) 141 2725(H) 143 6005(H) 143	3000(J) 146 6610(J) 146 3250(J) 149 7160(J) 149
2370 5220 2440 5390 2580 5690 2650 5840 2910 6415 2440 5375 2680 5905 2400 5305 2400 5305 2640 5830 2130 4690 2340 4590 2340 4590 2440 4940 4940 4430 55355 1860 4110 1980 4370	2500(F) 140 2575(F) 141 2575(F) 141 5675(F) 141 2725(F) 143 2725(F) 143 2750 6070 3030 6670 2540 5595 2790 6150 2500 5525 2750 6070 2220 4885 2440 5370 2300 5070 2500 5510 1940 4275 2060 4550	2600 5730 2630 2630 5785 2820 6205 2900(G) 145 6395(G) 145 3150(G) 148 6940(G) 148 2650 5840 2900 6395 2650 5840 2900 6395 2300(F) 137 2500(F) 140 5510(F) 140 5510(F) 140 5510(F) 140 5510(F) 140 5510(F) 140 510(F) 140 51	2700 2700 5950 2680 5895 2910 6405 2970 6545 3260 2730 6025 3000 6620 2690 5945 2960 6535 2390 5260 2620 2620 2430 5355 5840 2430 5355 5840 2020 4455 2220	2800(G) 144 2725(G) 143 6005(G) 143 3000(G) 146 6610(G) 146 3070 6770 3370 6770 3370 6235 3110 6850 2790 6150 2470 2470 2470 2500 5510 5510 2725 6005 2090 4610 2300 5065	2870 6320 2840 6265 3120 6870 8870 3150(H) 148 6940(H) 148 3450(H) 151 3000(H) 146 3250(H) 149 7160(H) 149 2900 6395 3150 6940 2575(G) 141 2800(G) 144 6175(G) 144 6175(G) 134 4675(G) 134 2360(G) 134 2360(G) 134 2360(G) 138	2940 6465 2960 6525 3240 7130 3270 7210 3590 39270 3920 3010 6640 3310 7300 7300 2980 6550 3270 7200 2630 25795 2890 6370 2650 5840 2900 6395 2230 4915 2450 5400	3000(H) 146 3075(H) 147 6780(H) 147 6780(H) 147 3350(H) 150 7390(H) 150 7390(H) 150 7390(H) 151 7610(J) 151 3750(J) 154 3150(J) 154 3150(J) 154 3150(J) 154 3450(J) 151 7610(J) 151 7610(J) 151 7610(J) 151 7610(J) 151 7610(J) 151 7610(J) 151 3075(H) 147 6780(H) 147 6780(H) 147 6780(H) 147 6780(H) 150 7390(H) 150 7390(H) 150 7390(H) 137 5070(H) 140 5510(H) 140	3590 7910 3940 8690 3250 7160 3550 7830 3150 6950 3460 7640 2800 6175 3075 6780 For this size max inflation is	3750(L) 154 8270(L) 154 4125(L) 157 9090(L) 157 3350 (L) 150 7390(L) 150 3650(L) 153 3250(J) 149 7160(J) 149 3550(J) 152 7830(J) 152 7830(J) 148 6940(J) 148
3350 7350 3980 8740 4320 9480 9480 3480 7680 3140 6910 3300 7280 2390 5260 2520 2520 2150 4740 2360 5210 4740 1400 3085 1600 3085 1600 3305 1700	3470 7650 4130 9100 4470 9870 3640 8030 3250 7160 3440 7580 2500(F) 140 2650(F) 142 5840(F) 142 5840(F) 142 5840(F) 145 03450 1450 3195 1650 3640 1550 3415 1750 3860	3650 8050 8050 9370 4620(H) 161 10200(H) 161 3810 3350(G) 150 7390(G) 150 3650(G) 153 2580 5675 2770 6095 2360(F) 138 5205(F) 138 5205(F) 141 5675(F) 141 1500(F) 122 3305(F) 122 1700(F) 126 1600(F) 124 3525(F) 126 1800(F) 128	3740 8230 4440 9790 4820 10600 3970 8740 3450 7610 3770 2660 5840 2890 6350 2410 5310 2650 5835 1550 3415 1750 3860 1650 3860 1850 4080	3850 8510 4580 10100 4960 11000 4120 9090 3550 7830 3890 2725(G) 143 6005(G) 143 6005(G) 146 6410(G) 146 2490 2490 2490 1600 3525 1800 1700 3750 3970 11700 4190	4000 8820 4750(J) 162 10500(J) 162 5150 11400 4250(J) 158 9370(J) 158 3650(H) 153 4000(H) 156 820(H) 156 2820 6205 3080 6790 6790 6790 6790 144 6175(G) 141 2800(G) 144 6175(G) 144 1650(G) 125 1850(G) 129 1750(G) 127 2800(G) 129 1750(G) 127 2000(G) 132 4400(G) 132	4100 9050 4880 10700 5290 11700 4430 9780 3760 4130 2910 6405 3160 6970 2660 5860 2920 6440	4250(J) 158 9370(J) 158 5150(L) 165 11400(L) 165 5600(L) 168 12300(L) 168 4625(L) 161 10200(L) 161 3875(J) 155 4250(J) 158 4250(J) 158 3000(H) 146 6610(H) 146 3250(H) 149 7160(H) 149 7160(H) 149 7160(H) 149 7160(H) 149 7160(H) 149 7160(H) 149 7160(H) 144 6780(H) 147		4500(L) 160 9920(L) 160 5800(M) 169 12800(M) 169



MEDIUM RADIAL TRUCK LIMITED WARRANTY

Applies to tires purchased on or after Jan 1, 2026

ELIGIBILITY

This limited warranty provides two separate coverage benefits: (1) a limited warranty with respect to defects in material, workmanship or design; and (2) a limited radial casing retread warranty. You are eligible for the benefits of this limited warranty if the Sailun Medium Radial Truck Tire was purchased on or after January 1, 2026 and you are the original owner of this tire and it bears the prescribed Department of Transportation (DOT) identification number and has been continuously installed on the vehicle on which it was originally installed and no warranty exclusion or exception applies. Tires purchased prior to January 1, 2026 are eligible for warranty based on previous versions of this warranty where applicable.

LIMITED WARRANTY AGAINST DEFECTS-NON-PRORATED

A Sailun Medium Radial Truck Tire covered by this limited warranty will be replaced with a comparable new Sailun tire or comparable tire marketed by TBC Corporation without charge for the tire if it becomes unserviceable due to a defect in design, workmanship, or material during the first 50% of the original usable tread life (The original tread minus 2/32") for up to ten (10) years for TOP Line designated models and eight (8) years for all other models from the original purchase date (without proof of purchase, the tire's date of manufacture will be used to determine age). There may be fees and/or taxes associated with the mounting and balancing of the comparable new replacement tire; please see the service provider for any cost details.

LIMITED WARRANTY AGAINST DEFECTS-PRORATED

STA shall replace an eligible Sailun Medium Radial Truck Tire covered by this limited warranty that becomes unserviceable due to a defect in design, workmanship, or material **after** the first 50% of the original tread life on a prorated basis. The amount of the allowance is determined based on the percentage of the original "Useable Tread" remaining when the tire is presented for adjustment. The percentage allowance is applied to the purchase price of a comparable new Sailun Medium Radial Truck Tire or other comparable tire brand marketed by TBC Corporation. You are responsible for paying for the price of the warranty replacement tire after the appropriate warranty allowance is deducted plus the charges for mounting and balancing the replacement tire as well as any applicable fees and/or taxes. The benefits of this limited warranty for defects in design, material and workmanship terminate once the Useable Tread of a Sailun Medium Radial Truck Tire has been exhausted or eight (8) years from date of manufacture indicated on the tire, whichever is earlier.

COMPUTING REMAINING USEFUL TREAD

The remaining "Useful Tread" of your Sailun Medium Radial Truck Tire is computed as a percentage of the original tire's usable tread depth. These depths vary by tire size. The original usable tread does not include the last 2/32nd inch (1.6 millimeters) of tread depth because tires become unsafe for use and must be replaced to avoid accident or injury when the tread depth remaining is 2/32" or less. Because tires do not always wear evenly, tread depth may vary depending where on the tire's tread depth is measured. The lowest depth on the tire is used to determine the remaining tread life for purposes of warranty replacement.

LIMITED RADIAL CASING RETREAD WARRANTY

You will be eligible for a radial casing warranty allowance from TBC Corporation that will be applied to the purchase price of a new Sailun Medium Radial Truck Tire or a comparable new tire if your Sailun Medium Radial Truck Tire cannot be retreaded before the first to occur of the following: (a) the tire has been retreaded three (3) times (number of times the tire has been retreaded must be clearly branded on the sidewall of the tire); or (b) eight (8) years (10 years for TOP Line models) from the original purchase

date (without proof of purchase, the tire's date of manufacture will be used to determine age). The limited retread warranty coverage of the radial casing of your new Sailun Medium Radial Truck Tire may continue beyond the end of the tire's useful tread life. Sailun Medium Radial Truck Tire size 445/50R22.5 is warranted up to the time of buffing for the second retread. **EXCLUSION**: Those tires used in off-highway service (such as mining & logging) are **excluded** and the tires are not covered under this limited radial casing retread warranty. TBC Corporation will provide the following predetermined radial casing allowances if this limited warranty applies (50% of value for 3rd retread):

TIRE SIZE	CASING ALLOWANCE
235/85R16, 215, 235/75R17.5	\$20.00
225, 245, 265/70R19.5	\$30.00
255, 275/70R22.5	\$65.00
10R22.5	\$45.00
11R22.5, 295/75R22.5	\$65.00
12R22.5, 315/80R22.5	\$70.00
11R24.5, 285/75R24.5	\$70.00
385/65R22.5	\$75.00
425, 445/65R22.5	\$80.00
445/50R22.5*	\$80.00

Casing value is reduced by 50% of the above values after the second retread.

*445/50R22.5 casing warranty up to the point of buff for second retread.

DEFINITION OF A COMPARABLE TIRE

For the purposes of your limited warranty against defects in design, workmanship, and materials and the limited radial casing warranty, a "comparable" tire will be supplied if a matching new Sailun Medium Radial Truck Tire is out of production or is unavailable when the Tire is presented for warranty replacement. In which case, the warranty replacement tire may be substituted and will be a tire of equal price, quality and construction. A comparable tire may also have a different sidewall or tread configuration. If the purchaser requests a higher-priced replacement tire instead, the purchaser must pay the price difference for the "upgrade" after the appropriate prorated allowance has been deducted.

WARRANTY EXCLUSIONS AND LIMITATIONS (NON-ELIGIBILE)

The exclusions and limitations on the applicability of this limited warranty with respect to defects in material, workmanship or design set forth in this section and other sections should be read carefully because they may determine whether you are entitled to a warranty replacement or a warranty replacement allowance. The limited warranty with respect to defects in material, workmanship or design provided for the Sailun Medium Radial Truck tire you purchased does not apply if the tire failed because of any one of the following:

- tires installed on a vehicle registered or normally used outside the United States
- the tire was transferred to another vehicle after it was originally installed
- the tire is branded as "Blemish" or "NA" or the molded DOT number has been removed or disfigured
- the tire was repaired only with a self-vulcanizing plug, improper section repairs or in a manner that does not comply with U.S. Tire Manufacturers Association standards

- · tire failures caused by road hazard, stone damage, potholes, or collision damage
- vandalism, theft, off-road use, long-term improper storage or other abuse
- improper mounting procedures or applications
- over and under inflation, overloading, or failure to maintain proper tire pressure
- addition of liquids, solids or gases (other than air, nitrogen, carbon dioxide) such as sealers or balancing materials
- ozone or weather cracks or checking occurring four (4) years after the date of purchase or, if that proof is not available, four (4) years after the DOT serial date
- mechanical failures of the vehicle on which the tires was originally installed, improper alignment, or brake and shock failure of said vehicle
- the rim on which the tire is mounted is defective or fails
- tires with "irregular tread wear" (which is defined as a tread groove depth differences of 2/32nds of an inch or more on the same tire)
- tires submitted for ride disturbance complaints after 2/32" of tread wear or 12 months from date of purchase, whichever occurs first

NOTE: THIS WARRANTY GIVES YOU SPECIFIC RIGHTS, WHICH VARY FROM STATE TO STATE. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIM-ITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGE OR HOW LONG AN IMPLIED WARRANTY MAY LAST, SO CERTAIN LIMITATIONS OR EX-CLUSIONS HEREIN MAY NOT APPLY TO YOU. HOWEVER, TO THE EXTENT PERMITTED BY THE LAWS OF YOUR STATE, SAILUN AND TBC CORPORA-TION DISCLAIM ALL WARRANTIES EXPRESS OR IMPLIED OTHER THAN THE WARRANTIES STATED IN THIS LIMITED WARRANTY, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. ANY IMPLIED WARRAN-TY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE IS LIMITED IN DURATION AND EXPIRES WHEN THE TIRE'S USEABLE TREAD IS EXHAUSTED AS SPECIFIED IN THIS LIMITED WAR-RANTY. TO THE EXTENT PERMITTED BY LAW. THIS WARRANTY DOES NOT COVER AND EXPRESSLY EXCLUDES ANY COVERAGE OR LIABILITY FOR PUNITIVE DAMAGES, FOR LOSS OF TIME, INCONVENIENCE, LOSS OF USE OF YOUR VEHICLE OR TIRE, LOST PROFITS, OR ANY OTHER INCI-DENTAL OR CONSEQUENTIAL DAMAGES. THIS IS THE ONLY WARRANTY THAT APPLIES TO THE SAILUN MEDIUM TRUCK TIRES PURCHASED BY YOU AND SUPERSEDES AND REPLACES THE TERMS OF ANY PREVIOUS WARRANTY. NOTHING IN THIS LIMITED WARRANTY IS INTENDED TO BE A REPRESENTATION THAT TIRE FAILURES CANNOT OCCUR. SAILUN AND/ OR TBC CORPORATION NEITHER ASSUMES NOR EXTENDS, NOR AUTHO-RIZES ANY OTHER PERSON OR ENTITY TO ASSUME OR EXTEND ON ITS BEHALF, ANY OTHER OR DIFFERENT WARRANTY OBLIGATION. This Limited Warranty is the entire warranty given by STA. - The complete

obligations are set forth herein. No one has the authority to imply suggest. agree, represent, warranty or promise anything contrary to the terms of this Limited Warranty.

OWNERS OBLIGATIONS

To make a claim under this Limited Warranty, you must present the warranted tire to an authorized Sailun Medium Radial Truck Tire dealer for adjustment along with the following items: proof of purchase showing that you purchased the Tire and the vehicle on which the Tire was originally installed. Your original invoice when you purchased the Tire should contain this information. You are responsible for payment for any extra products. services, or upgrades, including any fees and taxes related thereto, that you request that are not covered by the Limited Warranty.

ADJUSTMENT PROCEDURE

Please contact the original retailer from whom the tire was purchased to inspect the tire and review the warranty claim. If the retailer is not accessible, you may call 1-800-238-6469 and speak to TBC Corporation's Consumer Relations department. A product Warranty Specialist will confirm the Sailun Tire, and discuss your tire issue with you based on the Sailun Limited Warranty. They will find a Sailun Medium Radial Truck Tire dealer nearest you to whom you may take your Sailun Medium Radial Truck Tire for inspection and any applicable warranty adjustment.

Because TBC Corporation values customer service, TBC Corporation will work with the tire dealer to supply a replacement Sailun Medium Radial Truck Tire or comparable tire in an efficient manner.

IMPORTANT SAFETY INFORMATION

Although any tire, no matter how well constructed, may fail due to many reasons, including but not limited to, road hazards like nails, pot holes or road debris and improper installation, maintenance or service, which could create the risk of property damage and/or serious or fatal injury, in an effort to help to keep you safe, here is a non-exhaustive list of practices with which you should comply:

- ONLY HAVE PROFESSIONALLY TRAINED PERSONNEL MOUNT AND BALANCE TIRES.
- · Property damage and serious or fatal injury can also result from improper tire mounting and inflation procedures which can cause the tire beads to break with explosive force during installation of the tire on the wheel rim. This can also occur when tire size is not properly matched to the wheel's rim. Serious injury or damage can also occur if wheel rim and tire bead are not properly lubricated prior to installation or maximum tire pressure is exceeded when seating the tire bead on the rim.
- Never drive on tires that have less than 2/32nds of an inch of tread remaining; replace tires as soon as the tread reaches the tread wear indicators molded into the tread grooves of the tire which reveal when the tread depth remaining is 2/32nds of an inch.
- · Proper tire inflation is essential. Under-inflation produces flexing of sidewalls and builds up heat to the point that premature tire failure may occur. Over-inflation can cause the tire to be more susceptible to impact damage, but do not reduce pressure when tires are hot.
- Check air pressure at least monthly when tires are "cold" a "cold" tire is one that has been stationary typically for a minimum of 2 hours or driven less than 2 miles. Use an accurate tire air pressure gauge.
- Never overload the tires. The maximum load capacity and maximum inflation pressure are molded into the sidewall of your tire. Overloading a tire will result in the build up of excessive heat, which can lead to early tire failure. Overloading a tire will render a tire ineligible for warranty.
- Avoid damaging objects (potholes, glass, rocks, curbs, etc.), which may cause internal tire damage. Continued use of a tire that has suffered internal damage (which may not be visible externally) can lead to serious/ dangerous tire failure.
- · Inspection and the determination of the internal damage to a tire requires dismounting of the tire from the wheel and examination - all of which should be done only by a tire professional.
- Excessive speeds create heat buildup in a tire, leading to possible tire failure. "Excessive speed" is a speed that does not take into consideration the weight of the load/and or the condition of the road you are traveling on. Never travel above the legal posted limit and slow down to a proper speed accordingly.
- Properly load and distribute the weight of the load in your vehicle. Improper weight distribution can have adverse affects on the safety of the vehicle and the performance of the tires.



ENHANCE / PERFORMANCE / ADVANCE



GOSAILUN.COM / 1-866-822-4968