



## SFL70 EFT

Wide circumferential grooves deliver exceptional wet traction.

Decoupling groove reduces uneven wear. **230mm tread** width.

#### EcoPoint<sup>3</sup> tread

compound for low rolling resistance and enhanced mileage.



## SDL70 EFT

Wide footprint and deep tread for extended mileage.

"Slim bead" for reduced rolling resistance.

#### EcoPoint3 tread

compound for maximum mileage, wet traction and rolling resistance.

3 Peak Mountain Snowflake (3PMS) certification for severe winter service.

Smartway verified tire.



### **S705 EFT**

Smartway verified tire.

**Deep tread depth** for excellent tread life.

**Solid shoulders** resist

#### EcoPoint<sup>3</sup> tread

compound for low rolling resistance and maximum mileage.



### **S696 EFT**

Smartway verified tire.

**Shallow tread** reduces irregular wear.

#### EcoPoint<sup>3</sup> tread

compound for low rolling resistance.

**Solid shoulder ribs** minimize scrub wear.



#### STL70 EFT

**Shallow tread** reduces irregular wear.

Slim Bead casing reduces rolling resistance. Decoupling groove minimizes irregular wear.

#### EcoPoint<sup>3</sup> tread

compound for low rolling resistance.

Micro-sipes improve traction in wet conditions and dissipate heat for prolonged tread life.

# WHY CHOOSE THE TOP LINE?

- Lowest Rolling Resistance in Commercial Truck Tires
- Exclusive EcoPoint<sup>3</sup> Compound with Liquid Phase Mixing
- Slim Bead Technology for Lightweight, Fuel-Saving Casings
- Purpose-Built Designs for Every Axle Position
- Backed by Sailun's Global R&D and Proven Field Performance







The Sailun SFL70 EFT is a premium steer tire engineered to deliver long tread wear and excellent handling characteristics. The SFL70 EFT's 230mm tread width, micro-sipes and redesigned decoupling groove minimize irregular wear. The EcoPoint<sup>3</sup> tread compound provides industry leading low rolling resistance without compromising tread mileage.

The Slim Bead casing design lowers casing weight to improve fuel efficiency without compromising durability. The SFL70 EFT is an ideal tire for long-haul highway steer axle applications where handling and wear uniformity are critical.

# **APPLICATIONS**

- Regional Trucks
- ✓ Line-Haul Trucks



- Wide circumferential grooves deliver exceptional wet traction.
- Decoupling groove reduces uneven wear.
- 230mm tread width.
- EcoPoint<sup>3</sup> tread compound for low rolling resistance and enhanced mileage.

CODE	SIZE	LI/SR	PR	TD	RIM	OD	sw	SLR	LCC 1X	LCC 2X	AP
1603032	11R22.5	146/143 M	16	19	8.25	41.3	10.9	19.3	6,610	6,005	120
1603034	11R24.5	149/146 M	16	19	8.25	43.4	10.9	20.3	7,160	6,610	120
1603030	295/75R22.5	146/143 M	16	19	9.00	40.0	11.7	18.7	6,610	6,005	120







The SDL70 EFT is a premium closed shoulder drive tire designed with a 240mm wide footprint and 30/32" tread depth to deliver maximum mileage, stability and ride comfort.

The SDL70 EFT has "slim bead" technology incorporated to reduce rolling resistance and improve fuel economy. The EcoPoint<sup>3</sup> tread compound is produced by using a proprietary liquid phase mixing technology for the best compound dispersion.

**The benefit of EcoPoint**<sup>3</sup> is maximized mileage, wet traction and rolling resistance without compromise to any of the other attributes. SDL70 EFT is best suited for on highway long haul and regional applications.

# **APPLICATIONS**

- Regional Trucks
- Line-Haul Trucks







- Wide footprint and deep tread for extended mileage.
- "Slim bead" for reduced rolling resistance.
- EcoPoint<sup>3</sup> tread compound for maximum mileage, wet traction and rolling resistance.
- 3 Peak Mountain Snowflake (3PMS) certification for severe winter service.
- Smartway verified tire.

CODE	SIZE	LI/SR	PR	TD	RIM	OD	sw	SLR	LCC 1X	LCC 2X	AP
6690148	11R22.5	146/143 M	16	30	8.25	41.9	11.0	19.3	6,610	6,005	120
6690146	11R24.5	149/146 M	16	30	8.25	43.5	11.0	20.3	7,160	6,610	120
6690150	295/75R22.5	146/143 M	16	30	9.00	39.9	11.7	18.7	6,610	6,005	120








The \$705 EFT super single drive tire delivers exceptional performance in line haul highway applications. The tire is engineered to wear evenly for long tread life. The solid shoulder provides stability for vehicle handling and control. The center-lug tread pattern enhances traction.

**The EcoPoint<sup>3</sup> tread** compound provides industry leading low rolling resistance without compromising tread mileage.

The S705 EFT super single is best suited for long-haul highway drive axle applications for optimizing rolling resistance and mileage. This tire is also ideal for trucks being returned off lease where a new tire is required.

# **APPLICATIONS**







- Smartway verified tire.
- Deep tread depth for excellent tread life.
- Solid shoulders resist uneven wear.
- EcoPoint<sup>3</sup> tread compound for low rolling resistance and maximum mileage.

CODE	SIZE	LI/SR	PR	TD	RIM	OD	SW	SLR	LCC 1X	LCC 2X	AP
6690145	445/50R22.5	161 L	20	26	14.00	40.3	17.5	18.9	10,200	-	120







The S696-EFT super single trailer tire delivers exceptional performance in line haul trailer applications. This tire is engineered with a wide shoulder rib for stability and resistance to lateral scrub wear. The tread grooves channel water away from tread footprint in wet conditions. The 13/32" tread depth is optimized for even wear and long mileage in highway trailer applications.

The EcoPoint<sup>3</sup> tread compound provides industry leading low rolling resistance without compromising tread mileage. This super single is an ideal tire for long-haul highway trailer axle applications for optimizing rolling resistance and mileage. This tire is also ideal for trailers being returned off lease where a new tire is required.

# **APPLICATIONS**

- ✓ Tandem Axle Trailers
- Single Axle Trailers





- Smartway verified tire.
- Shallow tread reduces irregular wear.
- EcoPoint<sup>3</sup> tread compound for low rolling resistance.
- Solid shoulder ribs minimize scrub wear.

CODE	SIZE	LI/SR	PR	TD	RIM	OD	SW	SLR	LCC 1X	LCC 2X	AP
6690144 4	445/50R22.5	161 M	20	13	14.00	40.0	17.5	18.8	10,200	-	120







**The STL70 EFT** is designed specifically for on highway trailer applications.

The EcoPoint<sup>3</sup> tread compound provides industry leading low rolling resistance without compromising tread mileage. The newly designed decoupling groove aids in minimizing irregular tread wear. Micro sipes along tread ribs help the tire run cool and minimize river wear. The Slim Bead casing design lowers casing weight to improve fuel efficiency without compromising durability.

**The STL70 EFT** is an ideal tire for long-haul highway trailer axle applications where low rolling resistance and even wear are essential.

# **APPLICATIONS**

- ✓ Line-Haul Trailers (Tandem)
- Line-Haul Trailers (Single)



- Shallow tread reduces irregular wear.
- Slim Bead casing reduces rolling resistance.
- Decoupling groove minimizes irregular wear.
- EcoPoint<sup>3</sup> tread compound for low rolling resistance.
- Micro-sipes improve traction in wet conditions and dissipate heat for prolonged tread life.

CODE	SIZE	LI/SR	PR	TD	RIM	OD	SW	SLR	LCC 1X	LCC 2X	AP
1603036	11R22.5	144/142 M	14	12	8.25	41.5	11.0	19.3	6,175	5,840	105
1603037	11R24.5	146/143 M	14	12	8.25	43.5	11.0	20.3	6,610	6,005	105
1603035	295/75R22.5	144/141 M	14	12	9.00	39.9	11.7	18.7	6,175	5,675	110



